5-3431-221-25 P

TECHNICAL MANUAL

ORGANIZATIONAL, DIRECT AND GENERAL SUPPORT, AND DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LIST

WELDING MACHINE, ARC
G.E.D. GENERATOR, 300 AMP
DC, CONSTANT CURRENT
CONSISTANT POTENTIAL, SKID MOUNTED
(LIBBY WELDING MODEL LTO 300)
FSN 3431-253-0558

HEADQUARTERS, DEPARTMENT OF THE ARMY
MARCH 1971

D 101.11:

READEX FICHE best copy available

Technical Manual
No. 5-3431-221-25P

HEADQUARTERS
DEPARTMENT OF THE ARMY
Washington, D. C., *3 March 1971*

ORGANIZATIONAL, DIRECT AND GENERAL SUPPORT, AND DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LIST

WELDING MACHINE, ARC
G.E.D. GENERATOR, 300 AMP
DC, CONSTANT CURRENT
CONSISTANT POTENTIAL, SKID MOUNTED
(LIBBY WELDING MODEL LTO 300)
FSN 3431-253-0558

Current as of 24 February 1971

			Listing Page	*Illus Figure*
Section	I.	INTRODUCTION	iii	
	II.	PRESCRIBED LOAD ALLOWANCE	1	
	III.	REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE	2	
Group	01.	Covers	2	
		Top, side and rear panel		1
		Side access panel		2
		Control panel access doors		3
Group	02.	Engine	4	
		Engine		4
		Oil drain		6
		Choke and throttle controls		7
Group	03.	Exhaust System	5	
		Exhaust guard and reverse air shield		8
		Muffler		9
Group	04.	Fuel System	7	
		Fuel tank		10

		Illus Figure	Listing Page
Group 05.	Battery	8	
	Battery		11
Group 06.	Generator	9	
	Resistance box		12
	Generator explode		14
	Generator terminal board		15
Group 07.	Instrument Panel	11	
	Instrument panel left side		18
	Instrument panel right side		19
	Switch assembly		20
	Track assembly		21
Group 08.	Frame	17	
	Frame		22
Section IV.	Special tools, test and support equipment for organizational maintenance (Not Applicable)		
V.	Repair parts for DS, GS, and depot maintenance	18	
Group 01.	Covers	18	
	Top, side and rear panel		1
	Side access panel		2
	Control panel access doors		3
Group 02.	Engine	20	
	Engine		4
	Air inlet housing		5
	Oil drain		6
	Choke and throttle controls		7
Group 03.	Exhaust System	22	
	Exhaust guard and reverse air shield		8
	Muffler		9
Group 04.	Fuel System	23	
	Fuel tank		10
Group 05.	Battery	25	
	Battery		11
Group 06.	Generator	25	
	Resistance box		12
	Generator mounting		13
	Generator explode		14
	Generator terminal board		15
	Generator coupling shaft		16
	Brush holder assembly		17
Group 07.	Instrument Panel	31	
	Instrument panel left side		18
	Instrument panel right side		19
	Switch assembly		20
	Track assembly		21
Group 08.	Frame	40	
	Frame		22
Section VI.	SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT FOR DS, GS, AND DEPOT MAINTENANCE (NOT APPLICABLE)		
VII.	FEDERAL STOCK NUMBER AND REFERENCE NUMBER INDEX	63	

SECTION I
INTRODUCTION

1. Scope

This manual lists repair parts, special tools, test and support equipment required for the performance of organizational, direct support, general support, and depot maintenance of the welding machine.

2. General

This Repair Parts and Special Tools List is divided into the following sections:

a. Prescribed Load Allowance (PLA) - Section II. A composite listing of repair parts, special tools, test and support equipment having quantitative allowances for initial stockage at the organizational level.

b. Repair Parts - Section III. A list, in figure and item number sequence, of repair parts authorized at the organizational level for the performance of maintenance, including those items which must be removed for replacement of the authorized item. Items, except kits and sets, are listed by assembly group in top down breakdown sequence.

c. Special Tools, Test and Support Equipment - Section IV. (Not Applicable).

d. Repair Parts - Section V. A list, in figure and item number sequence, of the repair parts authorized for the performance of maintenance at the direct support, general support, and depot levels, including those items which must be removed for replacement of the authorized item. Items except kits and sets, are listed by assembly group in top down breakdown sequence.

e. Special Tools, Test and Support Equipment - Section VI. (Not Applicable).

f. Federal Stock Number and Reference Number Index - Section VII. A list of Federal Stock Numbers in ascending numerical sequence, followed by a list of reference numbers appearing in all listings, in ascending alpha-numeric sequence, cross-referenced to the illustration figure and item number.

NOTE

Items not illustrated are cross-referenced to assembly group number.

3. Explanation of Columns

The following provides an explanation of columns in the tabular lists in sections II through VI.

a. Source, Maintenance, and Recoverability Codes (SMR).

(1) Source code indicates the source for the listed items. Source Codes are:

Code	*Explanation*
P	Repair Parts, Special Tools and Test Equipment supplied from the GSA/DSA, or Army supply system, and authorized for use at indicated maintenance categories.
P2	Repair Parts, Special Tools and Test Equipment which are procured and stocked for insurance purposes because the combat or military essentiality of the end item dictates that a minimum quantity be available in the supply system.
M	Repair Parts, Special Tools and Test Equipment which are not procured or stocked, as such, in the supply system but are to be manufactured at indicated maintenance levels.
A	Assemblies which are not procured or stocked as such, but are made up of two or more units. Such component units carry individual stock numbers and descriptions, are procured and stocked separately and can be assembled to form the required assembly at indicated maintenance categories.
X	Parts and assemblies that are not procured or stocked because the failure rate is normally below that of the applicable end item or component. The failure of such part or assembly should result in retirement of the end item from the supply system.
X1	Repair Parts which are not procured or stocked. The requirement for such items will be filled by the next higher assembly or component.
X2	Repair Parts, Special Tools and Test Equipment which are not stocked and have no foreseen mortality. The indicated maintenance category requiring such repair parts will attempt to obtain the parts through cannibalization or salvage, the item may be requisitioned with exception data, from the end item manager, for immediate use.

Code	Explanation
G	Major assemblies that are procured with PEMA funds for initial issue only as exchange assemblies at DSU and GSU level. These assemblies will not be stocked above the DS and GS level or returned to depot supply level.

(2) Maintenance code indicates the lowest category of maintenance authorized to install the listed item. Repair parts and special tools assigned Maintenance Code "C" may be stocked at the operator level of maintenance when authorized by the Unit Commander. The maintenance level codes are:

Code	Explanation
C	Crew or Operator maintenance
O	Organizational maintenance
F	Direct Support maintenance
H	General Support maintenance
D	Depot maintenance

(3) Recoverability code indicates whether unserviceable items should be returned for recovery or salvage. Items not coded are expendable. Recoverability codes are:

Code	Explanation
R	Applied to repair parts, (assemblies or components) special tools and test equipment which are considered economically reparable at direct and general support maintenance levels. When the item is no longer economically reparable, it is normally disposed of at the GS level. When supply considerations dictate, some of these repair parts may be listed for automatic return to supply for depot level repair as set forth in AR 710-50. When so listed, they will be replaced by supply on an exchange basis.
S	Repair Parts, Special Tools, Test Equipment and assemblies which are economically reparable at DSU and GSU activities and which normally are furnished by supply on an exchange basis. When items are determined by a GSU to be uneconomically reparable, they will be evacuated to a depot for evaluation and analysis before final disposition.
T	Higher dollar value recoverable repair parts, special tools and test equipment which are subject to special handling and are issued on an exchange basis. Such items will be repaired or overhauled at depot maintenance activities only. No repair may be accomplished at lower levels.
U	Repair Parts, Special Tools and Test Equipment specifically selected for salvage by reclamation units because of precious metal content, critical materials, high dollar value or reusable casings or castings.

b. Federal Stock Number. Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. Description. Indicates the Federal item name and any additional description of the item required. Assembly components and subassemblies are indented under major assemblies. The abbreviation "w/e" when used as part of the nomenclature, indicates the Federal stock number includes all armament, equipment, accessories, and repair parts issued with the item. A part number or other reference number is followed by the applicable five-digit Federal supply code for manufacturers in parenthesis. Repair parts quantities included in kits and sets are shown in front of the repair part name. Material required for manufacture or fabrication is identified.

d. Unit of Measure (U/M). A two character alphabetic abbreviation indicating the amount or quantity of the item, as used, upon which the allowances are based, e.g., ft., ea., pr., etc.

e. Quantity Incorporated in Unit. Indicates the quantity of the item used in the assembly group. A "V" appearing in this column in lieu of a quantity indicates that a definite quantity cannot be indicated (e.g., shims, spacers, etc.).

f. Fifteen-Day Organizational Maintenance Allowance.

(1) The allowance columns are divided into four subcolumns. Indicated in each subcolumn opposite the first appearance of each item is the total quantity of the items authorized for the number of equipments supported. Subsequent appearances of the same item will have the letters "REF" in the allowance column, indicating total allowance quantities will be shown with the first appearance of the item. To locate the referenced item, locate the FSN or reference number in the index. The earliest figure and item number is the referenced item. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowances for organizational level of maintenance represents one initial prescribed load for a 15-day period for the number of equipments supported. Units authorized additional pre-

scribed loads will multiply the number of prescribed loads authorized by the quantity of the repair parts reflected in the appropriate density column to obtain the total quantity of repair parts authorized.

(3) Organizational units providing maintenance for more than 100 of these equipments shall determine the total quantity of parts required by: First, divide the number of equipments supported by 100 by moving the decimal two spaces left; second, multiply the result by the quantity in the 51-100 density column. Example, authorized allowance for 51-100 equipments is 40; for 150 equipments, multiply 40 by 1.50 or 60 parts required.

(4) Subsequent changes to allowances will be limited as follows: No change in the range of items is authorized. If additional items are considered necessary, recommendations should be forwarded to U. S. Army Mobility Equipment Command for exception or revision to the allowance list. Revision to the range of items authorized will be made by the U. S. Army Mobility Equipment Command based on engineering experience, demand data, or TAERS information.

g. Thirty-Day DS/GS Maintenance Allowances.

NOTE

Allowances in GS column are for GS maintenance only.

(1) The allowance columns are divided into three subcolumns. Indicated in each subcolumn, opposite the first appearance of each item, is the total quantity of items authorized for the number of equipments supported. Subsequent appearances of the same item will have the letters "REF" in the applicable allowance column. To locate the referenced item, locate the FSN or reference number in the index. The earliest figure and item number is the referenced item. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowance for DS/GS levels of maintenance will represent initial stockage for a 30-day period for the number of equipments supported.

(3) To determine allowances when supporting more than 100 of these equipments: First, divide the number of equipments supported by 100 by moving the decimal two places left; second, multiply the result by the quantity in the 51-100 density column. Example: authorized allowance for 51-100 equipments is 40; for 150 equipments multiply 40 by 1.50 or 60 parts required.

h. One-Year Allowance Per 100 Equipments/Contingency Planning Purposes. This column indicates opposite the first appearance of each item the total quantity required for distribution and contingency planning purposes. Subsequent appearances of the same item will have the letters "REF" in this column. The range of items indicates total quantities of all authorized items required to provide for adequate support of 100 equipments for one year.

i. Depot Maintenance Allowance Per 100 Equipments. This column indicates opposite the first appearance of each item, the total quantity authorized for depot maintenance of 100 equipments. Subsequent appearances of the same item will have the letters "REF" in this column. Items authorized for use but not for initial stockage are identified with an asterisk in the allowance column.

j. Illustration. This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration on which the item is shown.

(2) *Item number.* Indicates the callout number used to reference the item on the illustration.

4. Special Information

a. Repair parts mortality has been based on 1500 hours operation per year.

b. Parts which require manufacture or assembly of a category higher than that authorized for installation will indicate in the source column the higher category.

c. The following publications pertain to arc welder and its components:

TM 5-3431-221-15	Operator, Organizational, Direct Support, General Support and Depot Maintenance Manual

TM 5-2805-259-14	Operator, Organizational, Direct and General Support Maintenance Manual
TM 5-2805-259-24P	Organizational, Direct and General Support Repair Parts and Special Tools List

d. The same illustrations are used to illustrate the repair parts and special tools listed in both organizational maintenance section and direct and general support and depot maintenance section.

5. How to Locate Repair Parts

a. When the Federal Stock Number or Reference Number is Unknown:

(1) *First.* Using the table of contents, determine the assembly group within which the repair part belongs. This is necessary since illustrations are prepared for assembly groups, and listings are divided into the same groups.

(2) *Second.* Find the illustration covering the assembly group to which the repair part belongs.

(3) *Third.* Identify the repair part on the illustration and note the illustration figure and item number of the repair part.

(4) *Fourth.* Using the Repair Parts Listing, find the assembly group to which the repair part belongs and locate the illustration figure and item number noted on the illustration.

b. When the Federal Stock Number or Reference Number is Known:

(1) *First.* Using the Index of Federal Stock Numbers and Reference Numbers find the pertinent Federal stock number or reference number. This index is in ascending FSN sequence followed by a list of reference numbers in alpha-numeric sequence, cross-referenced to the illustration figure number and item number.

(2) *Second.* Using the Repair Parts Listing, find the assembly group of the repair part and the illustration figure number and item number referenced in the Index of Federal Stock Numbers and Reference Numbers.

c. When the Federal Stock Number or Reference Number is Known and the Repair Part is not Illustrated:

(1) *First.* Using the Index of Federal Stock Numbers and Reference Numbers find the pertinent Federal stock number or reference number in the section titled Items not Illustrated and note the group number. This section is in ascending FSN sequence followed by a list of reference numbers in alpha-numeric sequence cross-referenced to assembly group number.

(2) *Second.* Using the Table of Contents, locate the assembly group number and page number.

(3) *Third.* Using the applicable group number and page number, locate the pertinent stock number or reference number in the Repair Parts Listing. Items which are not illustrated are listed at the end of the assembly group to which they belong.

6. Abbreviations

ea	each
id	inside diameter
in	inch (es)
lg	long
lh	left hand
No	number
od	outside diameter
rh	right hand
thd	thread (s) (ed)
thk	thick (ness)

7. Federal Supply Codes for Manufacturers

81348	Federal Specifications Promulgated by General Services Administration
81349	Military Specification Promulgated by Standardization Div, Directorate of Logistic Services DSA
96906	Military Standards Promulgated by Standardization Div, Directorate of Logistic Services DSA
97403	Army Engineer Research and Development Laboratories

8. Recommendations for Maintenance Publication Improvements

Report of errors, omissions, and recommendations for improving this publication by the user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commanding General, U. S. Army Mobility Equipment Command, ATTN: AMSME-MPP, 4300 Goodfellow Boulevard, St. Louis, Mo. 63120.

SECTION II. PRESCRIBED LOAD ALLOWANCE

(1) FEDERAL STOCK NUMBER	(2) DESCRIPTION USABLE ON CODE	(3) 15-DAY ORGANIZATIONAL MAINTENANCE ALLOWANCE			
		(a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100
	SECTION II - PRESCRIBED LOAD ALLOWANCE				
	GROUP 02 - ENGINE				
4820-448-5221	COCK, PLUG: FEMALE, 1/2 - 14 THD SIZE				2
5330-921-6224	GASKET: DRAIN PLUG		2	2	3
	GROUP 03 - EXHAUST SYSTEM				
2990-066-2494	GASKET		2	3	5
2990-235-4707	MUFFLER, EXHAUST				2
2990-235-4708	PIPE, EXHAUST				2
2990-235-4709	CAP ASSEMBLY, MUFFLER				2
	GROUP 04 - FUEL SYSTEM				
2910-911-0081	CAP, FUEL TANK				2
4730-542-3304	HOSE, FUEL AND OIL: 47 IN. LG, 1/4 IN. ID				2
4730-555-1152	FITTING, SWIVEL NUT: HOSE, 7/16 - 20 THD SIZE				2
	GROUP 05 - BATTERY				
5940-549-6581	TERMINAL LUG: POSITIVE BATTERY				2
5940-549-6583	TERMINAL LUG: NEGATIVE BATTERY				2
6140-099-3528	BATTERY, STORAGE: 24V, DRY CHARGED			2	2
6150-235-4678	LEAD, ELECTRICAL: GROUND NEGATIVE, 26 IN.				2
6150-235-4679	HEAD, ELECTRICAL: POSITIVE, 36 IN.				2
6810-249-9354	SULFURIC ACID: ELECTROLYTE		2	2	4
	GROUP 06 - GENERATORS				
5977-235-4682	BRUSH, ELECTRICAL CONTACT: DIRECT CURRENT	4	6	12	26
5977-235-4683	BRUSH, ELECTRICAL CONTACT. ALTERNATING CURRENT	2	3	6	13
	GROUP 07 - INSTRUMENT PANEL				
5925-252-4209	CIRCUIT BREAKER: 20 AMP, 120V, AC				2
5930-401-3383	SWITCH ASSEMBLY				2
5930-655-1521	SWITCH, TOGGLE: 10 AMP, 115V				2
5930-655-1522	SWITCH, TOGGLE: 10 AMP, 115V				2
5930-655-1582	SWITCH, TOGGLE: 15 AMP, 115V				2
5930-893-7973	SWITCH, TOGGLE: EXTERNAL, HEAVY DUTY				2
5935-250-4417	CONNECTOR, RECEPT: PLUG ELECTRICAL				2

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
		SECTION III - REPAIR PARTS FOR ORGANIZATIONAL MAINTENANCE								
		GROUP 01 - COVERS								
P O	5305-984-6211	SCREW, MACHINE: SIDE PANEL, NO. 10-24 THD SIZE, PAN HEAD, CROSS-RECESSED MS35206-264 (96906)	EA	14	*	*	*	*	1	1
P O	5310-721-7809	WASHER, LOCK: SIDE PANEL, NO. 10 MS35340-43 (96906)	EA	14	*	*	*	*	1	2
P O	5310-809-8546	WASHER, FLAT: SIDE PANEL, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)	EA	14	*	*	*	*	1	3
P O		NUT, PLAIN, HEXAGON: SIDE PANEL, NO. 10-24 THD SIZE MS27128-3 (96906)	EA	4	*	*	*	*	1	4
X20		PANEL, SIDE 13205E5522 (97403)	EA	1					1	5
X20		HINGE, CONTINUOUS: SIDE PANEL MS35823-2C (96906)	EA	2					1	6
P O		SCREW, MACHINE, PAN HEAD: REAR PANEL, 1/4-20 THD SIZE, 5/8 IN. LG, CRESCENT, PAN HEAD, CROSS-RECESSED MS35206-280 (96906)	EA	2	*	*	*	*	1	7
P O		WASHER, LOCK: REAR PANEL, 1/4 IN. MS35340-44 (96906)	EA	2	*	*	*	*	1	8
P O		WASHER, FLAT: REAR PANEL, .281 IN. ID, .625 IN. OD, .065 IN. THK MS27183-10 (96906)	EA	2	*	*	*	*	1	9
X20		PANEL, REAR 13205E5521 (97403)	EA	1					1	10
X20		BOLT, EYE LIFTING 13205E5532 (97403)	EA	1					1	11
P O	5310-762-6249	NUT, PLAIN, HEXAGON: LIFTING EYE, 1 IN. MS51967-29 (96906)	EA	1	*	*	*	*	1	12
X20		SEAL, RUBBER: LIFTING EYE 13205E5405 (97403)	EA	1					1	13
P O	5305-984-6211	SCREW, MACHINE: TOP PANEL MTG, NO. 10-24 THD SIZE, PAN HEAD, CROSS-RECESSED MS35206-264 (96906)	EA	31	*	*	*	*	1	14
P O	5310-721-7809	WASHER, LOCK: TOP PANEL MTG, NO. 10 MS35340-43 (96906)	EA	31	*	*	*	*	1	15
P O	5310-809-8546	WASHER, FLAT: TOP PANEL MTG, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)	EA	31	*	*	*	*	1	16
X20		TOP, WELDING, MACHINE 13205E5524 (97403)	EA	1					1	17
P O	5305-984-6211	SCREW, MACHINE: ACCESS SIDE PANEL, NO. 10-24 THD SIZE, PAN HEAD, CROSS-RECESSED MS35206-264 (96906)	EA	14	*	*	*	*	2	1
P O	5310-721-7809	WASHER, LOCK: ACCESS SIDE PANEL, NO. 10 MS35340-43 (96906)	EA	14	*	*	*	*	2	2

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O	5310-809-8546	WASHER, FLAT: ACCESS SIDE PANEL, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)		EA	14	*	*	*	*	2	3
P O		NUT, PLAIN: NO. 10-24 THD SIZE MS27128-3 (96906)		EA	4	*	*	*	*	2	4
X20		PANEL, SIDE, ACCESS 13205E5523 (97403)		EA	1					2	5
X20		STUD, TURN BUTTON 13205E5540 (97403)		EA	3					2	7
X20		RETAINER, STUD 13208E5776 (97403)		EA	3					2	8
P O	5305-984-6211	SCREW, MACHINE: LH ACCESS DOOR, NO. 10-24 THD SIZE, PAN HEAD, CROSS-RECESSED MS35206-264 (96906)		EA	5	*	*	*	*	3	1
P O	5310-809-8546	WASHER, FLAT: LH ACCESS DOOR, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)		EA	5	*	*	*	*	3	2
P O	5310-934-9758	NUT, PLAIN, HEXAGON: LH ACCESS DOOR, NO. 10-24 THD SIZE MS35649-202 (96906)		EA	5	*	*	*	*	3	3
P O	5310-721-7809	WASHER, LOCK: LH ACCESS DOOR MTG, NO. 10 MS35340-43 (96906)		EA	5	*	*	*	*	3	4
X20		DOOR ACCESS, LEFT HAND, CONTROL PANEL 13205E5525 (97403)		EA	1					3	5
P O	5305-984-6211	SCREW, MACHINE: RH ACCESS DOOR, NO. 10-24 THD SIZE, 5/8 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-264 (96906)		EA	5	*	*	*	*	3	6
P O	5310-809-8546	WASHER, FLAT: RH ACCESS DOOR, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)		EA	5	*	*	*	*	3	7
P O	5310-934-9758	NUT, PLAIN, HEXAGON: RH ACCESS DOOR, NO. 10-24 THD SIZE MS35649-202 (96906)		EA	5	*	*	*	*	3	8
P O	5310-721-7809	WASHER, LOCK: RH ACCESS DOOR, NO. 10 MS35340-43 (96906)		EA	5	*	*	*	*	3	9
X20		DOOR ACCESS, CONTROL PANEL, RIGHT HAND 13205E5526 (97403)		EA	1					3	10
P O	5320-051-8609	RIVET, SOLID MS20613-6P5 (96906)		EA	4	*	*	*	*	3	11
X20		LOCK, RIM 13205E5504 (97403)		EA	2					3	12
P O	5305-984-6210	SCREW, MACHINE: RH POSITIONER, NO. 10-24 THD SIZE, 1/2 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-263 (96906)		EA	3	*	*	*	*	3	13
P O	5310-809-8546	WASHER, FLAT: RH POSITIONER MTG, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)		EA	3	*	*	*	*	3	14
P O	5310-721-7809	WASHER, LOCK: RH POSITIONER MTG, NO. 10 MS35340-43 (96906)		EA	3	*	*	*	*	3	15

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O	5310-934-9758	NUT, PLAIN: RH POSITIONER MTG, NO. 10-24 THD SIZE MS35649-202 (96906)		EA	3	•	•	•	•	3	16
X20		POSITIONER, LOCKING DOOR: RH 13205E5447 (97403)		EA	1					3	17
P O	5305-984-6210	SCREW, MACHINE: LH POSITIONER, NO. 10-24 THD SIZE, 1/2 IN, LG, PAN HEAD, CROSS-RECESSED MS35206-263 (96906)		EA	3	•	•	•	•	3	18
P O	5310-809-8546	WASHER, FLAT: LH POSITIONER MTG, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)		EA	3	•	•	•	•	3	19
P O	5310-934-9758	NUT, PLAIN, HEXAGON: LH POSITIONER MTG, NO. 10-24 THD SIZE MS35649-202 (96906)		EA	3	•	•	•	•	3	20
P O	5310-721-7809	WASHER, LOCK: LH POSITIONER MTG, NO. 10 MS35340-43 (96906)		EA	3	•	•	•	•	3	21
X20		POSITIONER, LOCKING DOOR: LH 13205E5471 (97403)		EA	1					3	22
		GROUP 02 - ENGINE									
X20		PAN, DRIP: ENGINE 13205E5533 (97403)		EA	1					4	15
X20		WIRING HARNESS: ENGINE CONTACT SECTION 13205E5535 (97403)		EA	1						
X20		ELBOW, PIPE TO TUBE: 1/2 NPTF X 7/8-14 UNF SAEJ514TABLE8F5G22A (81348)		EA	1					6	1
P O	4820-448-5221	COCK, PLUG: FEMALE, 1/2-14 THD SIZE MS35930-4 (96906)		EA	1	•	•	•	2	6	2
X20		NIPPLE, PIPE THREAD: 1/2 NPT X 4 1/2 IN. LG WAN351TYPE1 (81348)		EA	1					6	3
X20		ADAPTER 13205E5563 (97403)		EA	1					6	4
P O	5330-921-6224	GASKET: DRAIN PLUG 13213E3283 (97403)		EA	1	•	2	2	3	6	5
P O		SCREW, MACHINE: NO. 10-24 THD SIZE, 1/2 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-263 (96906)		EA	1	•	•	•	•	7	1
P O		NUT, PLAIN, HEXAGON: NO. 10-24 THD SIZE MS35649-202 (96906)		EA	1	•	•	•	•	7	2
P O		WASHER, LOCK: NO. 10 MS35338-43 (96906)		EA	1	•	•	•	•	7	3
P O		CLAMP, LOOP MS21333-2 (96906)		EA	1	•	•	•	•	7	4
X20		CONTROL ASSEMBLY: PUSH-PULL THROTTLE 13205E5514 (97403)		EA	1					7	5
X20		BRACKET, THROTTLE: PUSH-PULL 13205E5511 (97403)		EA	1					7	6
P O		SCREW, MACHINE: NO. 4-40 X 1/4 INCH MS35206-213 (96906)		EA	1	•	•	•	•	7	7

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
X20		STOP, THROTTLE CONTROL 13205E5484 (97403)		EA	1					7	8
P O		SCREW, MACHINE: NO. 8-32 X 1/4 IN. MS35206-241 (96906)		EA	1	•	•	•	•	7	9
P O		WASHER, FLAT: .187 IN. ID, .375 IN. OD, .049 IN. THK MS27183-7 (96906)		EA	1	•	•	•	•	7	10
X20		STUD, WIRE GUIDE 13205E5512 (97403)		EA	1					7	11
X20		LEVER, THROTTLE 13205E5510 (97403)		EA	1					7	12
P O		SCREW, MACHINE: CHOKE LEVER CLAMP, NO. 10-24 THD SIZE, 1/2 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-263 (96906)		EA	1	•	•	•	•	7	13
P O		NUT, PLAIN, HEXAGON: CHOKE LEVER CLAMP, NO. 10-24 THD SIZE MS35649-202 (96906)		EA	1	•	•	•	•	7	14
P O		WASHER, LOCK: CHOKE LEVER CLAMP, NO. 10 MS35338-43 (96906)		EA	1	•	•	•	•	7	15
X20		BRACKET, CHOKE: PUSH-PULL 13205E5554 (97403)		EA	1					7	16
P O		CLAMP, LOOP MS21333-2 (96906)		EA	1	•	•	•	•	7	17
P O		NUT, PLAIN, HEXAGON: CHOKE CONTROL ASSEMBLY, 3/8-24 THD SIZE MS35691-21 (96906)		EA	1	•	•	•	•	7	18
P O	5310-627-6028	WASHER, LOCK: CHOKE CONTROL ASSEMBLY, 3/8 IN. FLAT EXTERNAL TOOTH MS35335-35 (96906)		EA	1	•	•	•	•	7	19
X20		CONTROL ASSEMBLY: PUSH-PULL, CHOKE 13205E5513 (97403)		EA	1					7	20
X20		LEVER, CHOKE 13205E5549 (97403)		EA	1					7	21
		GROUP 03 - EXHAUST SYSTEM									
X20		STUD, TURN BUTTON 13205E5539 (97403)		EA	4					8	1
X20		RETAINER, STUD 13205E5776 (97403)		EA	4					8	2
X20		GUARD: MECHANICAL DRIVE AND EXHAUST 13205E5537 (97403)		EA	1					8	3
P O		SCREW, MACHINE: RH AIR SHIELD, NO. 10-24 THD SIZE, 1/2 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-263 (96906)		EA	2	•	•	•	•	8	4
P O		WASHER, FLAT: RH AIR SHIELD, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-3 (96906)		EA	2	•	•	•	•	8	5
P O		NUT, PLAIN, HEXAGON: RH AIR SHIELD, NO. 10-24 THD SIZE MS35649-202 (96906)		EA	2	•	•	•	•	8	6
P O		WASHER, LOCK: RH AIR SHIELD, NO. 10 MS35340-43 (96906)		EA	2	•	•	•	•	8	7

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
X20		SHIELD, REVERSE AIR FLOW: RH 13205E5562 (97403)	EA	1					8	8
P O		SCREW, MACHINE: LH AIR SHIELD, NO. 10-24 THD SIZE, 1/2 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-263 (96906)	EA	2	*	*	*	*	8	9
P O		WASHER, FLAT: LH AIR SHIELD, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)	EA	2	*	*	*	*	8	10
P O		WASHER, LOCK: LH AIR SHIELD, NO. 10 MS35340-43 (96906)	EA	2	*	*	*	*	8	11
P O		NUT, PLAIN, HEXAGON: LH AIR SHIELD, NO. 10-24 THD SIZE MS35649-202 (96906)	EA	2	*	*	*	*	8	12
X20		SHIELD, REVERSE AIR FLOW: LH 13205E5561 (97403)	EA	1					8	13
P O	2990-235-4709	CAP ASSEMBLY, MUFFLER 13205E5515 (97403)	EA	1	*	*	*	2	9	1
P O		SCREW, MACHINE: EXHAUST CLAMP, 1/4-20 THD SIZE, 5/8 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-260 (96906)	EA	1	*	*	*	*	9	2
P O		WASHER, FLAT: EXHAUST CLAMP, .281 IN. ID, .625 IN. OD, .065 IN. THK MS27183-10 (96906)	EA	1	*	*	*	*	9	3
P O		WASHER, LOCK: EXHAUST CLAMP, 1/4 IN. MS35340-44 (96906)	EA	1	*	*	*	*	9	4
P O		NUT, PLAIN, HEXAGON: EXHAUST CLAMP, 1/4-20 THD SIZE MS51967-2 (96906)	EA	1	*	*	*	*	9	5
X20		CLAMP, LOOP: EXHAUST 13205E5459 (97403)	EA	1					9	6
P O		SCREW, CAP, HEXAGON HEAD: EXHAUST PIPE MTG, 3/8-16 THD SIZE, 7/8 IN. LG MS90725-59 (96906)	EA	2	*	*	*	*	9	7
P O		WASHER, LOCK: EXHAUST PIPE MTG, 3/8 IN. MS35340-46 (96906)	EA	2	*	*	*	*	9	8
P O	2990-235-4708	PIPE, EXHAUST 13205E5457 (97403)	EA	1	*	*	*	2	9	9
P O	2990-066-2494	GASKET 13206E0642 (97403)	EA	1	*	2	3	5	9	10
P O		SCREW, CAP, HEXAGON HEAD: MUFFLER MTG, 3/8-16 THD SIZE, 7/8 IN. LG MS90725-59 (96906)	EA	2	*	*	*	*	9	11
P O		WASHER, LOCK: MUFFLER MTG, 3/8 IN. MS35340-46 (96906)	EA	2	*	*	*	*	9	12
P O	2990-235-4707	MUFFLER, EXHAUST 13205E5469 (97403)	EA	1	*	*	*	2	9	13
P O		GASKET: EXHAUST MANIFOLD 13206E0642 (97403)	EA	1	*	*	*	*	9	14

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
		GROUP 04 - FUEL SYSTEM								
P O	4730-555-1152	FITTING, SWIVEL NUT: HOSE, 7/16-20 THD SIZE 13205E5560 (97403)	EA	2	*	*	*	2	10	1
P O	4730-542-3304	HOSE, FUEL AND OIL: 47 IN. LG, 1/4 IN. ID MILH13444TYPE11 (81349)	EA	1	*	*	*	2	10	2
X20		ADAPTER, STRAIGHT, PIPE TO TUBE: 1/8 NPTF X 7/16-20 UNF MILF18866TYPE1STYLE1 (81349)	EA	1					10	3
P O		NUT, PLAIN, HEXAGON: FUEL TANK RETAINER, 3/8-16 THD SIZE MS51967-8 (96906)	EA	2	*	*	*	*	10	4
P O		WASHER, LOCK: FUEL TANK RETAINER, 3/8 IN. MS35340-46 (96906)	EA	2	*	*	*	*	10	5
P O		WASHER, FLAT: FUEL TANK RETAINER, .406 IN. ID, .812 IN. OD, .065 IN. THK MS27183-14 (96906)	EA	2	*	*	*	*	10	6
X20		BOLT, HOOK: FUEL TANK, 3/8-16 THD SIZE 13205E5439 (97403)	EA	2					10	7
X20		RETAINER: FUEL TANK 13205E5434 (97403)	EA	1					10	8
X20		TANK, FUEL: ENGINE 13205E5466 (97403)	EA	1					10	9
P O	2910-911-0081	CAP, FUEL TANK MS35645-2 (96906)	EA	1	*	*	*	2	10	10
X20		GASKET, RUBBER: FUEL TANK NECK 13205E5538 (97403)	EA	1					10	11
X20		PLUG, DRAIN: FUEL TANK, 1/2-14 NPTF, HEXAGON HEAD SAEJ53XTABLE2AFTG2 (81348)	EA	1					10	12
P O		SCREW, MACHINE: COCK PLUG MTG, 1/4-20 THD SIZE, 3/4 IN. LG, PAN HEAD, CROSS RECESSED MS35206-281 (96906)	EA	2	*	*	*	*	10	13
P O		NUT, PLAIN, HEXAGON: COCK PLUG MTG, 1/4-20 THD SIZE MS51967-2 (96906)	EA	2	*	*	*	*	10	14
P O		WASHER, LOCK: COCK PLUG MTG, 1/4 IN. MS35340-44 (96906)	EA	2	*	*	*	*	10	15
X20		ELBOW: 7/16-20 THD SIZE MILF18866TYPE3STYLE2 (81349)	EA	2					10	16
X20		ELBOW, PIPE TO TUBE: FUEL VALVE, 1/8 NPTF X 1/2-20 UNF, 90 DEG MILF18866TYPE3STYLE2 (81349)	EA	1					10	17
X20		CAP, TUBE FITTING: FUEL VALVE 13205E5543 (97403)	EA	1					10	18
P O	4730-555-1152	FITTING, SWIVEL 13205E5560 (97403)	EA	2	REF	REF	REF	REF	10	19
P O	4730-542-3304	HOSE, RUBBER: 1/4 IN. ID X 13 IN. LG MILH13444TYPE11 (97403)	EA	1	REF	REF	REF	REF	10	20
X20		ELBOW: 90 DEGREE MILF18866TYPE3STYLE2 (81349)	EA	1					10	21
P O	4820-449-0491	COCK PLUG, THREE-WAY: 1/8-27 NPTF MS35932-1 (96906)	EA	1	*	*	*	2	10	22

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O		SCREW, MACHINE: FUEL VALVE BRACKET, 1/4-20 THD SIZE, 5/8 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-280 (96906)	EA	2	*	*	*	*	10	23
P O		WASHER, FLAT: FUEL VALVE BRACKET, .281 IN. ID, .625 IN. OD, .065 IN. THK MS27183-10 (96906)	EA	2	*	*	*	*	10	24
P O		NUT, PLAIN, HEXAGON: FUEL VALVE BRACKET, 1/4-20 THD SIZE MS51967-2 (96906)	EA	2	*	*	*	*	10	25
P O		WASHER, LOCK: FUEL VALVE BRACKET, 1/4 IN. MS35340-44 (96906)	EA	2	*	*	*	*	10	26
X20		BRACKET, FUEL VALVE 13205E5508 (97403)	EA	1					10	27
X20		NIPPLE, PIPE: 1/8 X 1 1/2 IN. LG MS51953-6 (96906)	EA	1					10	28
		GROUP 05 - BATTERY								
P O	5940-549-6583	TERMINAL LUG: NEGATIVE BATTERY MS75004-2 (96906)	EA	1	*	*	*	2	11	1
P O	6150-235-4678	LEAD, ELECTRICAL: GROUND NEGATIVE, 26 IN. 13205E5544-70 (97403)	EA	1	*	*	*	2	11	2
P O	5940-549-6581	TERMINAL LUG: POSITIVE BATTERY MS75004-1 (96906)	EA	1	*	*	*	2	11	3
P O	6150-235-4679	LEAD, ELECTRICAL: POSITIVE, 36 IN. 13205E5544-71 (97403)	EA	1	*	*	*	2	11	4
P O		NUT, PLAIN, WING: BATTERY HOOK BOLT, 1/4-20 THD SIZE MS35425-39 (96906)	EA	2	*	*	*	*	11	5
P O		WASHER, LOCK: BATTERY HOOK BOLT, 1/4 IN. MS35340-44 (96906)	EA	2	*	*	*	*	11	6
P O		WASHER, FLAT: BATTERY HOOK BOLT, .281 IN. ID, .625 IN. OD, .065 IN. THK MS27183-10 (96906)	EA	2	*	*	*	*	11	7
X20		RETAINER, BATTERY 13205E5456 (97403)	EA	1					11	8
X20		BOLT, HOOK BATTERY: 1/4-20 THD SIZE 13205E5458 (97403)	EA	2					11	9
P O	6140-059-3528	BATTERY, STORAGE: 24V, DRY CHARGED MS75047-1 (96906)	EA	1	*	*	2	2	11	10
P O		SCREW, MACHINE: BATTERY CLIP, NO. 10-24 THD SIZE, 5/16 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-260 (96906)	EA	1	*	*	*	*	11	11
P O		WASHER, LOCK: BATTERY CLIP, NO. 10 MS35340-43 (96906)	EA	1	*	*	*	*	11	12
P O		WASHER, FLAT: BATTERY CLIP, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)	EA	1	*	*	*	*	11	13
X20		CLIP, RETAINER: BATTERY BOLT 13205E5547 (97403)	EA	1					11	14
P O	6810-249-9354	SULFURIC ACID: ELECTROLYTE 0S801A (81348) (ONE GALLON BOTTLE)	EA	1	*	2	2	4		

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
		GROUP 06 - GENERATOR									
X20		RESISTANCE BOX, TAPPED ASSEMBLY 13205E5403 (97403)		EA	1					12	1
P O		SCREW, MACHINE: NO. 10-24 THD SIZE, 3/4 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-265 (96906)		EA	8	*	*	*	*	12	2
P O		WASHER, FLAT: .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)		EA	8	*	*	*	*	12	3
X20		NUT, SELF-LOCKING, HEXAGON: NO. 10-24 THD SIZE MILN24129-2-3C (81349)		EA	8					12	4
X20		FLANGE, RESISTANCE BOX 13205E5494 (97403)		EA	1					12	5
X20		STRAP, CABLE: ADJUST PLASTIC MS17821-2-0 (96906)		EA	14					12	6
X20		LEAD, ELECTRICAL 13205E5544-3 (97403)		EA	1					12	7
X20		LEAD, ELECTRICAL 13205E5544-10 (97403)		EA	1					12	8
X20		LEAD, ELECTRICAL 13205E5544-11 (97403)		EA	1					12	9
X20		LEAD, ELECTRICAL 13205E5544-12 (97403)		EA	1					12	10
P O		SCREW, CAP, HEXAGON HEAD: 1/4-20 THD SIZE, 1 IN. LG, BRASS MS35309-308 (96906)		EA	8	*	*	*	*	12	11
P O	5310-754-4337	WASHER, FLAT: 1/4 IN., BRASS MS45901-5 (96906)		EA	10	*	*	*	*	12	12
P O	5310-842-1699	NUT, PLAIN, HEXAGON: 1/4-20 THD SIZE, BRASS MS35691-4 (96906)		EA	10	*	*	*	*	12	13
P O	5310-682-5930	WASHER, LOCK: 1/4 IN. MS35340-44 (96906)		EA	10	*	*	*	*	12	14
X20		LEAD, ELECTRICAL 13205E5544-17 (97403)		EA	1					12	15
X20		LEAD, ELECTRICAL 13205E5544-16 (97403)		EA	1					12	16
X20		LEAD, ELECTRICAL 13205E5544-15 (97403)		EA	1					12	17
X20		LEAD, ELECTRICAL 13205E5544-14 (97403)		EA	1					12	18
X20		LEAD, ELECTRICAL 13205E5544-9 (97403)		EA	1					12	19
P O		SCREW, CAP, HEXAGON HEAD: 1/4-20 THD SIZE, 5/8 IN. LG, BRASS MS35309-305 (96906)		EA	2	*	*	*	*	12	20
P O		WASHER, FLAT: 1/4 IN. ID, BRASS MS45901-5 (96906)		EA	2	*	*	*	*	12	21
P O		NUT, PLAIN, HEXAGON: 1/4-20 THD SIZE, BRASS MS5169-1 (96906)		EA	2	*	*	*	*	12	22
P O		WASHER, LOCK: 1/4 IN. MS35338-120 (96906)		EA	2	*	*	*	*	12	23

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
X20		LINK, TERMINAL CONNECTING 13205E5487 (97403)		EA	1					12	24
P O		NUT, PLAIN, HEXAGON: NO. 10-24 THD SIZE MS35649-202 (96906)		EA	12	*	*	*	*	12	25
P O		WASHER, FLAT: .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)		EA	12	*	*	*	*	12	26
P O		WASHER, LOCK: NO. 10 MS35338-43 (96906)		EA	12	*	*	*	*	12	27
X20		U-BOLT, RESISTANCE ELEMENT 1305E5499 (97403)		EA	6					12	28
X20		RESISTANCE ELEMENT WAVE 13205E5489 (97403)		EA	1					12	29
P O		SCREW, MACHINE: 1/4-20 THD SIZE, 3/4 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-281 (96906)		EA	6	*	*	*	*	12	30
P O		WASHER, FLAT: .265 IN. ID, .500 IN. OD, .063 IN. THK AN960-416 (88044)		EA	6	*	*	*	*	12	31
P O		NUT, PLAIN, HEXAGON: 1/4-20 THD SIZE MS51967-2 (96906)		EA	6	*	*	*	*	12	32
P O		WASHER, LOCK: 1/4 IN. MS35338-44 (96906)		EA	6	*	*	*	*	12	33
X20		BRACKET, RESISTANCE: WIRE SUPPORTS 13205E5495 (97403)		EA	2					12	34
X20		INSULATOR, PLATE END 13205E5490 (97403)		EA	2					12	35
X20		INSULATOR ASSEMBLY: STANDOFF 13205E5473-1 (97403)		EA	1					12	36
X20		INSULATOR ASSEMBLY: STANDOFF 13205E5473-2 (97403)		EA	1					12	37
X20		INSULATOR ASSEMBLY: STANDOFF 13205E5473-3 (97403)		EA	1					12	38
X20		RESISTANCE ELEMENT 13205E5488 (97403)		EA	1					12	39
X20		INSULATOR, PLATE SIDE 13205E5491 (97403)		EA	1					12	40
X20		INSULATOR, PLATE, RESISTANCE BOX 13205E5492 (97403)		EA	1					12	41
X20		FRAME, RESISTANCE BOX 13205E5493 (97403)		EA	1					12	42
P O		SCREW, MACHINE: RESISTANCE BOX MTG, NO. 10-24 THD SIZE, 5/8 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-264 (96906)		EA	4	*	*	*	*	12	43
P O		WASHER, FLAT: RESISTANCE BOX MTG, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)		EA	4	*	*	*	*	12	44
P O		WASHER, LOCK: RESISTANCE BOX MTG, NO. 10 MS35ER0-43 (96906)		EA	4	*	*	*	*	12	45
P O	5977-235-4683	BRUSH, ELECTRICAL CONTACT: ALTERNATING CURRENT 13205E5425 (97403)		EA	4	2	3	6	13	14	9

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O	5977-235-4682	BRUSH, ELECTRICAL CONTACT: DIRECT CURRENT 13205E5426 (97403)		EA	8	4	6	12	26	14	31
P O		SCREW, MACHINE: CLAMP, NO. 10-24 THD SIZE, 3/8 IN. LG MS35206-261 (96906)		EA	3	*	*	*	*	14	33
P O		WASHER, LOCK: CLAMP, NO. 10 MS35338-43 (96906)		EA	3	*	*	*	*	14	34
X20		CLAMP, LOOP MS21919-4 (96906)		EA	3					14	35
P O		SCREW: TERMINAL BOARD, PAN HEAD, SLOT DRIVE MS35206-246 (96906)		EA	2	*	*	*	*	14	38
P O		WASHER, LOCK: TERMINAL BOARD MS35338-42 (96906)		EA	2	*	*	*	*	14	39
X20		TERMINAL BOARD: 20 AMP, 6 TERMINAL MILT55164-2TYPE38TB6 (81349)		EA	1					14	40
P O		SCREW, CAP: TERMINAL BOARD MS90725-65 (96906)		EA	4	*	*	*	*	15	1
P O		WASHER, LOCK: TERMINAL BOARD MS35338-46 (96906)		EA	4	*	*	*	*	15	2
P O		WASHER, FLAT: TERMINAL BOARD MS27183-14 (96906)		EA	4	*	*	*	*	15	3
X20		TERMINAL BOARD 13205E5451 (97403)		EA	2					15	4
X20		SUPPORT, TERMINAL BOARD 13205E5460 (97403)		EA	1					15	5
P O		SCREW, CAP, HEXAGON: 1/4-20 X 1 3/4 IN. MS35309-313 (96906)		EA	2	*	*	*	*	15	6
P O		NUT, PLAIN, HEXAGON: 1/4-20 THD SIZE MS35691-411 (96906)		EA	2	*	*	*	*	15	7
P O		WASHER, LOCK: 1/4 IN. MS35338-120 (96906)		EA	2	*	*	*	*	15	8
P O		WASHER, FLAT: 1/4 IN. MS45901-5 (96906)		EA	4	*	*	*	*	15	9
X20		SPACER, SLEEVE 13205E5435 (97403)		EA	2					15	10
X1		TERMINAL BLOCK 13205E5450 (97403)		EA	1					15	11
X20		INSULATOR, TERMINAL BOARD 13205E5449 (97403)		EA	2					15	12
		GROUP 07 - INSTRUMENT PANEL									
P O	5305-984-6211	SCREW, MACHINE: CONTROL PANEL MTG, NO. 10-24 THD SIZE, 5/8 IN. LG MS35206-264 (96906)		EA	7	*	*	*	*	18	1
P O	5310-809-8546	WASHER, FLAT: CONTROL PANEL MTG, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)		EA	9	*	*	*	*	18	2
P O	5310-934-9758	NUT, PLAIN: CONTROL PANEL MTG, NO. 10-24 THD SIZE MS35649-202 (96906)		EA	1	*	*	*	*	18	3
P O	5310-721-7809	WASHER, LOCK: CONTROL PANEL MTG, NO. 10 MS35340-43 (96906)		EA	7	*	*	*	*	18	4

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
X20		PANEL, FRONT 13205E5520 (97403)		EA	1					18	5
P O		SCREW, CAP: 1/4-20 THD SIZE, 1 3/8 IN. LG MS90725-11 (96906)		EA	4	*	*	*	*	18	6
P O		WASHER, FLAT: .312 IN. ID, .750 IN. OD, .065 IN. THK MS27183-11 (96906)		EA	4	*	*	*	*	18	7
P O		NUT, PLAIN, HEXAGON: 1/4-20 THD SIZE MS51967-2 (96906)		EA	4	*	*	*	*	18	8
P O		WASHER, LOCK: 1/4 IN. MS35338-44 (96906)		EA	4	*	*	*	*	18	9
X20		LEAD, ELECTRICAL 13205E5544-6 (97403)		EA	1					18	10
X20		LEAD, ELECTRICAL 13205E5544-5 (97403)		EA	1					18	11
P O	5935-814-4732	CONNECTOR RECEPTACLE, SLAVE: 24V MS75058-1 (96906)		EA	1	*	*	*	*	18	12
P O		SCREW, MACHINE: NO. 6-32 THD SIZE, 5/16 IN. LG MS35206-227 (96906)		EA	2	*	*	*	*	18	13
P O		WASHER, FLAT: .156 IN. ID, .312 IN. OD, .035 IN. THK MS27183-5 (96906)		EA	2	*	*	*	*	18	14
P O		NUT, PLAIN, HEXAGON: NO. 6-32 THD SIZE MS35649-262 (96906)		EA	2	*	*	*	*	18	15
P O		WASHER, LOCK: NO. 6 MS35338-41 (96906)		EA	2	*	*	*	*	18	16
X20		LEAD, ELECTRICAL 13205E5546-2 (97403)		EA	1					18	17
X20		LEAD, ELECTRICAL 13205E5544-50 (97403)		EA	1					18	18
P O	5935-892-9603	CONNECTOR RECEPTACLE: GROUND, 15 AMP, 125V WC596STYLED8 (81348)		EA	1	*	*	*	*	18	19
P O		SCREW, MACHINE: TOGGLE SWITCH MTG, NO. 10-24 THD SIZE, 3/8 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-261 (96906)		EA	2	*	*	*	*	18	20
P O		WASHER, FLAT: TOGGLE SWITCH MTG, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)		EA	2	*	*	*	*	18	21
P O		NUT, PLAIN, HEXAGON: TOGGLE SWITCH MTG, NO. 10-24 THD SIZE MS35649-202 (96906)		EA	2	*	*	*	*	18	22
P O		WASHER, LOCK: TOGGLE SWITCH MTG, NO. 10 MS35338-43 (96906)		EA	2	*	*	*	*	18	23
X20		LEAD, ELECTRICAL 13205E5544-48A (97403)		EA	1					18	24
X20		LEAD, ELECTRICAL 13205E5544-48 (97403)		EA	1					18	25
X20		LEAD, ELECTRICAL 13205E5544-27 (97403)		EA	1					18	26
P O	5930-893-7973	SWITCH, TOGGLE: EXTERNAL, HEAVY DUTY 13205E5503 (97403)		EA	1	*	*	*	2	18	27

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O		SCREW: NO. 10-24 X 3/8 IN. MS35206-261 (96906)		EA	2	*	*	*	*	18	28
P O		WASHER, FLAT MS27183-8 (96906)		EA	2	*	*	*	*	18	29
P O		NUT MS35649-202 (96906)		EA	2	*	*	*	*	18	30
P O		WASHER, LOCK MS35338-43 (96906)		EA	2	*	*	*	*	18	31
X20		BRACKET ASSEMBLY, RESISTOR MS75009-35 (96906)		EA	2					18	32
X20		LEAD, ELECTRICAL 13205E5544-25 (97403)		EA	1					18	33
X20		LEAD, ELECTRICAL 13205E5544-26 (97403)		EA	1					18	34
P O	5905-878-4365	RESISTOR, WIRE WOUND RW35V251 (81349)		EA	1	*	*	*	*	18	35
P O	5925-252-4209	CIRCUIT BREAKER: 20 AMP, 120V, AC M39019-2-74 (81349)		EA	1	*	*	*	2	18	36
P O	5935-250-4417	CONNECTOR, DUMMY: PLUG ELECTRICAL 13205E5501 (97403)		EA	1	*	*	*	2	18	37
P O		SCREW, CAP, HEXAGON HEAD: 1/2-13 THD SIZE, 3/4 IN. LG, BRASS MS35309-407 (96906)		EA	1	*	*	*	*	18	38
P O		WASHER, LOCK: 1/2 IN. MS35338-105 (96906)		EA	1	*	*	*	*	18	39
P O		WASHER, FLAT: 1/2 IN. MS45901-8 (96906)		EA	2	*	*	*	*	18	40
X20		LEAD, ELECTRICAL 13205E5544-69 (97403)		EA	1					18	41
P O		SCREW, CAP, HEXAGON HEAD: BUSHING MTG, ELECTRODE, 1/2-13 THD SIZE, 2 IN. LG MS35309-415 (96906)		EA	1	*	*	*	*	18	42
P O		WASHER, FLAT: BUSHING MTG, ELECTRODE, 1/2 IN., BRASS MS45901-8 (96906)		EA	1	*	*	*	*	18	43
P O		NUT, PLAIN, WING: BUSHING MTG, ELECTRODE, 1/2-13 THD SIZE, BRASS MS35425-36 (96906)		EA	1	*	*	*	*	18	44
X20		TERMINAL, ELECTRICAL CONTACT: ELECTRODE 13205E5505 (97403)		EA	1					18	45
X20		BUSHING, ELECTRICAL CONDUCTOR: ELECTRODE 13205E5516 (97403)		EA	2					18	46
X20		HAND WHEEL 13205E5454 (97403)		EA	1					18	47
P O		SCREW, MACHINE: SWITCH MTG, 1/4-20 THD SIZE, 3/4 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-281 (96906)		EA	3	*	*	*	*	18	48
P O		WASHER, FLAT: SWITCH MTG, 1/4 IN. MS27183-11 (96906)		EA	3	*	*	*	*	18	49
P O		NUT, PLAIN, HEXAGON: SWITCH MTG, 1/4-20 THD SIZE MS51967-2 (96906)		EA	3	*	*	*	*	18	50

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O		WASHER, LOCK: SWITCH MTG, 1/4 IN. MS35338-44 (96906)		EA	3	*	*	*	*	18	51
P O	6625-842-0896	AMMETER: 400 AMP, DC MR36W444DCAAR (81349)		EA	1	*	*	*	*	19	1
X20		LEAD, ELECTRICAL: DC, AMMETER 13205E5544-41 (97403)		EA	1					19	2
X20		LEAD, ELECTRICAL: DC, AMMETER 13205E5544-42 (97403)		EA	1					19	3
P O	6625-842-0898	VOLTMETER: 100V, DC MR36W1H1DCVVR (81349)		EA	1	*	*	*	*	19	4
X20		LEAD, ELECTRICAL: DC, VOLTMETER 13205E5544-44 (97403)		EA	1					19	5
X20		LEAD, ELECTRICAL: DC, VOLTMETER 13205E5544-43 (97403)		EA	1					19	6
X20		SCREW, MACHINE: METER MTG, NO. 4-40 THD SIZE, 7/8 IN. LG, ROUNDHEAD, SLOTTED FF593TYPE1SYTLE15 (81348)		EA	3					19	7
P O		NUT, PLAIN, HEXAGON: METER MTG, NO. 4-40 THD SIZE MS35649-245 (96906)		EA	3	*	*	*	*	19	8
P O		WASHER, LOCK: METER MTG, NO. 4 MS35338-97 (96906)		EA	3	*	*	*	*	19	9
X20		LEAD, ELECTRICAL: METER TIME TOTAL 13205E5544-32 (97403)		EA	1					19	10
X20		LEAD, ELECTRIC: METER TIME TOTAL 13205E5544-29 (97403)		EA	1					19	11
P O	6645-952-9069	METER, TIME TOTALIZING: 115V, 60 CYCLE MS17324-1 (96906)		EA	1	*	*	*	2	19	12
X20		LEAD, ELECTRICAL 13205E5544-60 (97403)		EA	1					19	13
P O	6620-938-8212	INDICATOR, PRESSURE: 24V, DC, RANGE 0-60 PSI, NON-LUMINOUS DIAL MS24541-2 (96906)		EA	1	*	*	*	*	19	14
X20		LEAD, ELECTRICAL 13205E5544-61 (97403)		EA	1					19	15
P O	6625-321-6365	INDICATOR BATTERY, GENERATOR: 24V, DC MS24532-2 (96906)		EA	1	*	*	*	*	19	16
P O	5930-655-1521	SWITCH, TOGGLE: 10 AMP, 115V MS35058-29 (96906)		EA	1	*	*	*	2	19	17
X20		LEAD, ELECTRICAL 13205E5544-66 (97403)		EA	1					19	18
P O	5930-655-1522	SWITCH, TOGGLE: 10 AMP, 115V MS35058-30 (96906)		EA	1	*	*	*	2	19	19
X20		LEAD, ELECTRICAL 13205E5544-57 (97403)		EA	1					19	20
P O	5930-655-1582	SWITCH, TOGGLE: 15 AMP, 115V MS35059-23 (96906)		EA	1	*	*	*	2	19	21
X20		LEAD, ELECTRICAL 13205E5544-63 (97403)		EA	1					19	22
P O		NUT, PLAIN, WING: BUSHING MTG, GROUND, 1/2-13 THD SIZE, BRASS MS35425-36 (96906)		EA	1	*	*	*	*	19	23
X20		BUSHING, ELECTRICAL CONDUCTOR: GROUND 13205E5516 (97403)		EA	2					19	24

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O		SCREW, CAP, HEXAGON HEAD: BUSHING MTG, GROUND, 1/2-13 THD SIZE, 2 IN. LG MS35309-415 (96906)	EA	1	*	*	*	*	19	30
P O		WASHER, FLAT: BUSHING MTG, GROUND, 1/2 IN., BRASS MS45901-8 (96906)	EA	1	*	*	*	*	19	31
X20		TERMINAL, ELECTRICAL CONTACT: GROUND 13205E5506 (97403)	EA	1					19	32
P O	5930-401-3383	SWITCH ASSEMBLY 13205E5475 (97403)	EA	1	*	*	*	*	20	1
P O		SCREW, MACHINE: 1/4-20 THD SIZE, 1 1/2 IN. LG MS35198-75 (96906)	EA	1	*	*	*	*	20	2
P O		NUT, PLAIN, HEXAGON: 1/4-20 THD SIZE MS35691-4 (96906)	EA	2	*	*	*	*	20	3
P O		WASHER, FLAT: 1/4 IN. THD SIZE MS45901-5 (96906)	EA	3	*	*	*	*	20	4
P O		WASHER, LOCK: 1/4 IN. MS35338-120 (96906)	EA	2	*	*	*	*	20	5
P O		SCREW, MACHINE: 1/4-20 THD SIZE, 3/4 IN. LG, FLAT COUNTERSUNK HEAD, CROSS-RECESSED MS35190-269 (96906)	EA	3	*	*	*	*	20	6
P O		WASHER, LOCK: 1/4 IN. EXTERNAL TOOTH MS35336-27 (96906)	EA	3	*	*	*	*	20	7
X20		INSULATOR PLATE: SWITCH MTG 13205E5477 (97403)	EA	1					20	8
X1		SWITCH, PUSH 13205E5502 (97403)	EA	1					20	9
X20		ADAPTER, SWITCH 13205E5483 (97403)	EA	1					20	10
P O		SCREW, MACHINE: 1/4-20 THD SIZE, 5/8 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-280 (96906)	EA	3	*	*	*	*	20	11
P O		WASHER, LOCK: 1/4 IN. MS35338-44 (96906)	EA	3	*	*	*	*	20	12
X20		INSULATOR PLATE, SWITCH COVER 13205E5478 (97403)	EA	1					20	13
X20		WASHER, SPRING TENSION 13205E5548 (97403)	EA	2					20	14
X20		CONTACT, ELECTRICAL RING 13205E5479 (97403)	EA	2					20	15
X20		INSULATING MOUNT, ELECTRICAL CONTACT ROTOR 13205E5481 (97403)	EA	1					20	16
X20		PIN, SPRING MS9048-109 (96906)	EA	1					20	17
X1		SHAFT, SWITCH 13205E5480 (97403)	EA	1					20	18
P O		WASHER, SPRING 13205E5468 (97403)	EA	1	*	*	*	*	20	19
X20		CATCH, FRICTION 13205E5519 (97403)	EA	1					20	20

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O		SCREW, MACHINE: 1/4-20 THD SIZE, 1/2 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-279 (96906)		EA	2	*	*	*	*	21	5
P O		WASHER, LOCK MS35338-44 (96906)		EA	2	*	*	*	*	21	6
P O		WASHER, FLAT MS27183-11 (96906)		EA	2	*	*	*	*	21	7
X20		KNOB 13205E5527 (97403)		EA	1					21	8
P O	5905-197-4209	RESISTOR, VARIABLE: 200 OHM M22-12-00161FD (81349)		EA	1	*	*	*	*	21	9
P O		SCREW, MACHINE: NO. 8-32 THD SIZE, 1/4 IN. LG, PAN HEAD, CROSS-RECESSED, BRASS MS35214-38 (96906)		EA	2	*	*	*	*	21	15
P O		WASHER, FLAT: NO. 8 MS45901-3 (96906)		EA	2	*	*	*	*	21	16
P O		NUT, PLAIN, HEXAGON: NO. 8-32 THD SIZE, BRASS MS2508282 (96906)		EA	2	*	*	*	*	21	17
P O		WASHER, LOCK: NO. 8 MS35338-99 (96906)		EA	2	*	*	*	*	21	18
X20		LEAD, ELECTRICAL 13205E5544-68 (97403)		EA	1					21	19
X20		SCREW, MACHINE: NO. 10-32 THD SIZE, 12.750 IN. LG, PAN HEAD, SLOTTED MS75009-23 (96906)		EA	1					21	30
P O		WASHER, LOCK: NO. 10 MS35338-138 (96906)		EA	2	*	*	*	*	21	31
P O		NUT, PLAIN, HEXAGON: NO. 10-32 THD SIZE MS35650-302 (96906)		EA	1	*	*	*	*	21	32
P O		WASHER, CENTERING: .684 IN. FLANGE DIA, 1.125 IN. OD, .045 IN. THK MS75009-6 (96906)		EA	2	*	*	*	*	21	33
X20		LEAD, ELECTRICAL 13205E5544-67 (97403)		EA	1					21	34
X20		LEAD, ELECTRICAL 13205E5544-45 (97403)		EA	1					21	35
X20		WASHER, MICA: .688 IN. ID, 1.375 IN. OD, .094 IN. THK MS75009-4 (96906)		EA	1					21	36
P O		RESISTOR, ADJUST: 50 OHM, 210 WATT RX47V500 (81349)		EA	1	*	*	*	*	21	37
P O		SCREW, MACHINE MS35206-248 (96906)		EA	4	*	*	*	*	21	38
P O		WASHER, FLAT: TERMINAL BOARD MTG, .187 IN. ID, .375 IN. OD, .049 IN. THK MS27183-7 (96906)		EA	4	*	*	*	*	21	39
P O		NUT, PLAIN, HEXAGON MS35649-282 (96906)		EA	4	*	*	*	*	21	40
P O		WASHER, LOCK MS35338-42 (96906)		EA	4	*	*	*	*	21	41
X20		TERMINAL BOARD MILT55164-1TYPE37TB4 (81349)		EA	1					21	42
X20		LEAD, ELECTRICAL 13205E5544-49 (97403)		EA	1					21	43

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 15-DAY ORGANIZATIONAL MAINTENANCE ALW (a) 1-5	(b) 6-20	(c) 21-50	(d) 51-100	(7) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
		GROUP 08 - FRAME								
X20		CHAINS AND ATTACHMENTS RRC271TYPE1VCLASS1 (81348)	EA	4					22	1
X20		PLATFORM, WELDING MACHINE 13205E5404 (97403)	EA	1					22	2
P 0		NUT, PLAIN, WING MS35425-44 (96906)	EA	1	*	*	*	*	22	3
P 0		WASHER, LOCK MS35340-48 (96906)	EA	1	*	*	*	*	22	4
P 0		WASHER, FLAT MS27183-18 (96906)	EA	1	*	*	*	*	22	5

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
		SECTION V - REPAIR PARTS FOR DS, GS AND DEPOT MAINTENANCE GROUP 01 - COVERS												
P O	5305-984-6211	SCREW, MACHINE: SIDE PANEL, NO. 10-24 THD SIZE, PAN HEAD, CROSS-RECESSED MS35206-264 (96906)	EA	14	*	*	*	*	*	*	*	*	1	1
P O	5310-721-7809	WASHER, LOCK: SIDE PANEL, NO. 10 MS35340-43 (96906)	EA	14	*	*	*	*	*	*	*	*	1	2
P O	5310-809-8546	WASHER, FLAT: SIDE PANEL, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)	EA	14	*	*	*	*	*	*	*	*	1	3
P O		NUT, PLAIN, HEXAGON: SIDE PANEL, NO. 10-24 THD SIZE MS27128-3 (96906)	EA	4	*	*	*	*	*	*	*	*	1	4
X20		PANEL, SIDE 13205E5522 (97403)	EA	1									1	5
X20		HINGE, CONTINUOUS: SIDE PANEL MS35823-2C (96906)	EA	2									1	6
P O		SCREW, MACHINE, PAN HEAD: REAR PANEL, 1/4-20 THD SIZE, 5/8 IN. LG, CRESCENT, PAN HEAD, CROSS-RECESSED MS35206-280 (96906)	EA	2	*	*	*	*	*	*	*	*	1	7
P O		WASHER, LOCK: REAR PANEL, 1/4 IN. MS35340-44 (96906)	EA	2	*	*	*	*	*	*	*	*	1	8
P O		WASHER, FLAT: REAR PANEL, .281 IN. ID, .625 IN. OD, .065 IN. THK MS27183-10 (96906)	EA	2	*	*	*	*	*	*	*	*	1	9
X20		PANEL, REAR 13205E5521 (97403)	EA	1									1	10
X20		BOLT, EYE LIFTING 13205E5532 (97403)	EA	1									1	11
P O	5310-762-6249	NUT, PLAIN, HEXAGON: LIFTING EYE, 1 IN. MS51967-29 (96906)	EA	1	*	*	*	*	*	*	*	*	1	12
X20		SEAL, RUBBER: LIFTING EYE 13205E5405 (97403)	EA	1									1	13
P O	5305-984-6211	SCREW, MACHINE: TOP PANEL MTG, NO. 10-24 THD SIZE, PAN HEAD, CROSS-RECESSED MS35206-264 (96906)	EA	31	*	*	*	*	*	*	*	*	1	14
P O	5310-721-7809	WASHER, LOCK: TOP PANEL MTG, NO. 10 MS35340-43 (96906)	EA	31	*	*	*	*	*	*	*	*	1	15
P O	5310-809-8546	WASHER, FLAT: TOP PANEL MTG, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)	EA	31	*	*	*	*	*	*	*	*	1	16
X20		TOP, WELDING, MACHINE 13205E5524 (97403)	EA	1									1	17
P O	5305-984-6211	SCREW, MACHINE: ACCESS SIDE PANEL, NO. 10-24 THD SIZE, PAN HEAD, CROSS-RECESSED MS35206-264 (96906)	EA	14	*	*	*	*	*	*	*	*	2	1
P O	5310-721-7809	WASHER, LOCK: ACCESS SIDE PANEL, NO. 10 MS35340-43 (96906)	EA	14	*	*	*	*	*	*	*	*	2	2

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O	5310-809-8546	WASHER, FLAT: ACCESS SIDE PANEL, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)	EA	14	*	*	*	*	*	*	*	*	2	3
P O		NUT, PLAIN: NO. 10-24 THD SIZE MS27128-3 (96906)	EA	4	*	*	*	*	*	*	*	*	2	4
X20		PANEL, SIDE, ACCESS 13205E5523 (97403)	EA	1									2	5
X2F		HINGE, CONTINUOUS: 15 IN. LG MS35823-2C (96906)	EA	1									2	6
X20		STUD, TURN BUTTON 13205E5540 (97403)	EA	3									2	7
X20		RETAINER, STUD 13208E5776 (97403)	EA	3									2	8
X2F		RECEPTACLE, STUD, PANEL FASTENER 13212E3535 (97403)	EA	3									2	9
P O	5305-984-6211	SCREW, MACHINE: LH ACCESS DOOR, NO. 10-24 THD SIZE, PAN HEAD, CROSS-RECESSED MS35206-264 (96906)	EA	5	*	*	*	*	*	*	*	*	3	1
P O	5310-809-8546	WASHER, FLAT: LH ACCESS DOOR, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)	EA	5	*	*	*	*	*	*	*	*	3	2
P O	5310-934-9758	NUT, PLAIN, HEXAGON: LH ACCESS DOOR, NO. 10-24 THD SIZE MS35649-202 (96906)	EA	5	*	*	*	*	*	*	*	*	3	3
P O	5310-721-7809	WASHER, LOCK: LH ACCESS DOOR MTG, NO. 10 MS35340-43 (96906)	EA	5	*	*	*	*	*	*	*	*	3	4
X20		DOOR ACCESS, LEFT HAND, CONTROL PANEL 13205E5525 (97403)	EA	1									3	5
P O	5305-984-6211	SCREW, MACHINE: RH ACCESS DOOR, NO. 10-24 THD SIZE, 5/8 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-264 (96906)	EA	5	*	*	*	*	*	*	*	*	3	6
P O	5310-809-8546	WASHER, FLAT: RH ACCESS DOOR, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)	EA	5	*	*	*	*	*	*	*	*	3	7
P O	5310-934-9758	NUT, PLAIN, HEXAGON: RH ACCESS DOOR, NO. 10-24 THD SIZE MS35649-202 (96906)	EA	5	*	*	*	*	*	*	*	*	3	8
P O	5310-721-7809	WASHER, LOCK: RH ACCESS DOOR, NO. 10 MS35340-43 (96906)	EA	5	*	*	*	*	*	*	*	*	3	9
X20		DOOR ACCESS, CONTROL PANEL, RIGHT HAND 13205E5526 (97403)	EA	1									3	10
P O	5320-051-8609	RIVET, SOLID MS20613-6P5 (96906)	EA	4	*	*	*	*	*	*	*	*	3	11
X20		LOCK, RIM 13205E5504 (97403)	EA	2									3	12
P O	5305-984-6210	SCREW, MACHINE: RH POSITIONER, NO. 10-24 THD SIZE, 1/2 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-263 (96906)	EA	3	*	*	*	*	*	*	*	*	3	13
P O	5310-809-8546	WASHER, FLAT: RH POSITIONER MTG, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)	EA	3	*	*	*	*	*	*	*	*	3	14

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O	5310-721-7809	WASHER, LOCK: RH POSITIONER MTG, NO. 10 MS35340-43 (96906)		EA	3	*	*	*	*	*	*	*	*	3	15
P O	5310-934-9758	NUT, PLAIN: RH POSITIONER MTG, NO. 10-24 THD SIZE MS35649-202 (96906)		EA	3	*	*	*	*	*	*	*	*	3	16
X20		POSITIONER, LOCKING DOOR: RH 13205E5447 (97403)		EA	1									3	17
P O	5305-984-6210	SCREW, MACHINE: LH POSITIONER, NO. 10-24 THD SIZE, 1/2 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-263 (96906)		EA	3	*	*	*	*	*	*	*	*	3	18
P O	5310-809-8546	WASHER, FLAT: LH POSITIONER MTG, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)		EA	3	*	*	*	*	*	*	*	*	3	19
P O	5310-934-9758	NUT, PLAIN, HEXAGON: LH POSITIONER MTG, NO. 10-24 THD SIZE MS35649-202 (96906)		EA	3	*	*	*	*	*	*	*	*	3	20
P O	5310-721-7809	WASHER, LOCK: LH POSITIONER MTG, NO. 10 MS35340-43 (96906)		EA	3	*	*	*	*	*	*	*	*	3	21
X20		POSITIONER, LOCKING DOOR: LH 13205E5471 (97403)		EA	1									3	22
		GROUP 02 - ENGINE													
P F		NUT, PLAIN, HEXAGON: RESILIENT MTG, 1/2-20 THD SIZE MS51968-15 (96906)		EA	2	*	*	*	*	*	*	*	*	4	1
P F		WASHER, LOCK: RESILIENT MTG, 1/2 IN. MS35340-48 (96906)		EA	2	*	*	*	*	*	*	*	*	4	2
P F		SCREW, CAP, HEXAGON HEAD: FRONT ENGINE MTG, 1/2-13 THD SIZE, 1 1/4 IN. LG MS90728-111 (96906)		EA	1	*	*	*	*	*	*	*	*	4	3
P F		NUT, PLAIN, HEXAGON: FRONT ENGINE MTG, 1/2-13 THD SIZE MS51967-15 (96906)		EA	1	*	*	*	*	*	*	*	*	4	4
P F		WASHER, LOCK: FRONT ENGINE MTG, 1/2 IN. MS35340-48 (96906)		EA	1	*	*	*	*	*	*	*	*	4	5
P F R	2805-872-5972	ENGINE, GASOLINE, AIR COOLED: 20 HP 4A084-3 (97403)		EA	1	*	*	*	*	*	*	5	*	4	6
P F	5340-356-7901	MOUNT, ENGINE: REAR 13205E5474 (97403)		EA	2	*	*	*	*	*	*	*	*	4	7
P F		SCREW, CAP, HEXAGON HEAD: REAR ENGINE MTG, 5/16-18 THD SIZE, 1 IN. LG MS90728-34 (96906)		EA	4	*	*	*	*	*	*	*	*	4	8
P F		NUT, PLAIN, HEXAGON: REAR ENGINE MTG, 5/16-18 THD SIZE MS51967-6 (96906)		EA	4	*	*	*	*	*	*	*	*	4	9
P F		WASHER, LOCK: REAR ENGINE MTG, 5/16 IN. MS35340-45 (96906)		EA	4	*	*	*	*	*	*	*	*	4	10
P F	5340-406-1409	MOUNT, RESILIENT: ENGINE 13205E5452 (97403)		EA	2	*	2	2	*	2	2	16	12	4	11
P F		SCREW, CAP, HEXAGON HEAD: BOTTOM ENGINE MTG, 1/4-28 THD SIZE, 7/8 IN. LG MS90726-7 (96906)		EA	4	*	*	*	*	*	*	*	*	4	12

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P F		WASHER, LOCK: BOTTOM ENGINE MTG, 1/4 IN. MS35340-44 (96906)	EA	4	*	*	*	*	*	*	*	*	4	13
P F		WASHER, FLAT: BOTTOM ENGINE MTG, .281 IN. ID, .625 IN. OD, .065 IN. THK MS27183-10 (96906)	EA	4	*	*	*	*	*	*	*	*	4	14
X20		PAN, DRIP: ENGINE 13205E5533 (97403)	EA	1									4	15
X20		WIRING HARNESS: ENGINE CONTACT SECTION 13205E5535 (97403)	EA	1										
P F	2805-895-3050	HOUSING ASSEMBLY: AIR INLET 13215E8190 (97403)	EA	1	*	*	*	*	*	*	5	*	5	1
X2F		CLIP, AIR INLET, HOUSING GUARD D13206E0808 (97403)	EA	8									5	2
X1		GUARD, AIR INLET, HOUSING D13206E1815 (97403)	EA	1									5	3
X2F		SCREW ASSEMBLED WASHER: 5/16-18 THD SIZE, 1 1/2 IN. LG, EXTERNAL TOOTH WASHER SAEJ489 (81348)	EA	8									5	4
X1		HOUSING, AIR INLET D13206E0606 (97403)	EA	1									5	5
X20		ELBOW, PIPE TO TUBE: 1/2 NPTF X 7/8-14 UNF SAEJ514TABLE8F5G22A (81348)	EA	1									6	1
P O	4820-448-5221	COCK, PLUG: FEMALE, 1/2-14 THD SIZE MS35930-4 (96906)	EA	1	*	2	2	*	2	2	12	8	6	2
X20		NIPPLE, PIPE THREAD: 1/2 NPT X 4 1/2 IN. LG WWN351TYPE1 (81348)	EA	1									6	3
X20		ADAPTER 13205E5563 (97403)	EA	1									6	4
P O	5330-921-6224	GASKET: DRAIN PLUG 13213E3283 (97403)	EA	1	2	3	5	2	3	5	60	50	6	5
P O		SCREW, MACHINE: NO. 10-24 THD SIZE, 1/2 IN. LG PAN HEAD, CROSS-RECESSED MS35206-263 (96906)	EA	1	*	*	*	*	*	*	*	*	7	1
P O		NUT, PLAIN, HEXAGON: NO. 10-24 THD SIZE MS35649-202 (96906)	EA	1	*	*	*	*	*	*	*	*	7	2
P O		WASHER, LOCK: NO. 10 MS35338-43 (96906)	EA	1	*	*	*	*	*	*	*	*	7	3
P O		CLAMP, LOOP MS21333-2 (96906)	EA	1	*	*	*	*	*	*	*	*	7	4
X20		CONTROL ASSEMBLY: PUSH-PULL THROTTLE 13205E5514 (97403)	EA	1									7	5
X20		BRACKET, THROTTLE: PUSH-PULL 13205E5511 (97403)	EA	1									7	6
P O		SCREW, MACHINE: NO. 4-40 X 1/4 INCH MS35206-213 (96906)	EA	1	*	*	*	*	*	*	*	*	7	7
X20		STOP, THROTTLE CONTROL 13205E5484 (97403)	EA	1									7	8
P O		SCREW, MACHINE: NO. 8-32 X 1/4 IN. MS35206-241 (96906)	EA	1	*	*	*	*	*	*	*	*	7	9

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O		WASHER, FLAT: .187 IN. ID, .375 IN. OD, .049 IN. THK MS27183-7 (96906)		EA	1	*	*	*	*	*	*	*	*	7	10
X20		STUD, WIRE GUIDE 13205E5512 (97403)		EA	1									7	11
X20		LEVER, THROTTLE 13205E5510 (97403)		EA	1									7	12
P O		SCREW, MACHINE: CHOKE LEVER CLAMP, NO. 10-24 THD SIZE, 1/2 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-263 (96906)		EA	1	*	*	*	*	*	*	*	*	7	13
P O		NUT, PLAIN, HEXAGON: CHOKE LEVER CLAMP, NO. 10-24 THD SIZE MS35649-202 (96906)		EA	1	*	*	*	*	*	*	*	*	7	14
P O		WASHER, LOCK: CHOKE LEVER CLAMP, NO. 10 MS35338-43 (96906)		EA	1	*	*	*	*	*	*	*	*	7	15
X20		BRACKET, CHOKE: PUSH-PULL 13205E5554 (97403)		EA	1									7	16
P O		CLAMP, LOOP MS21333-2 (96906)		EA	1	*	*	*	*	*	*	*	*	7	17
P O		NUT, PLAIN, HEXAGON: CHOKE CONTROL ASSEMBLY, 3/8-24 THD SIZE MS35691-21 (96906)		EA	1	*	*	*	*	*	*	*	*	7	18
P O	5310-627-6028	WASHER, LOCK: CHOKE CONTROL ASSEMBLY, 3/8 IN. FLAT EXTERNAL TOOTH MS35335-35 (96906)		EA	1	*	*	*	*	*	*	*	*	7	19
X20		CONTROL ASSEMBLY: PUSH-PULL, CHOKE 13205E5513 (97403)		EA	1									7	20
X20		LEVER, CHOKE 13205E5509 (97403)		EA	1									7	21
		GROUP 03 - EXHAUST SYSTEM													
X20		STUD, TURN BUTTON 13205E5539 (97403)		EA	4									8	1
X20		RETAINER, STUD 13205E5776 (97403)		EA	4									8	2
X20		GUARD: MECHANICAL DRIVE AND EXHAUST 13205E5537 (97403)		EA	1									8	3
P O		SCREW, MACHINE: RH AIR SHIELD, NO. 10-24 THD SIZE, 1/2 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-263 (96906)		EA	2	*	*	*	*	*	*	*	*	8	4
P O		WASHER, FLAT: RH AIR SHIELD, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)		EA	2	*	*	*	*	*	*	*	*	8	5
P O		NUT, PLAIN, HEXAGON: RH AIR SHIELD, NO. 10-24 THD SIZE MS35649-202 (96906)		EA	2	*	*	*	*	*	*	*	*	8	6
P O		WASHER, LOCK: RH AIR SHIELD, NO. 10 MS35340-43 (96906)		EA	2	*	*	*	*	*	*	*	*	8	7
X20		SHIELD, REVERSE AIR FLOW: RH 13205E5562 (97403)		EA	1									8	8
P O		SCREW, MACHINE: LH AIR SHIELD, NO. 10-24 THD SIZE, 1/2 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-263 (96906)		EA	2	*	*	*	*	*	*	*	*	8	9

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P 0		WASHER, FLAT: LH AIR SHIELD, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)		EA	2	*	*	*	*	*	*	*	*	8	10
P 0		WASHER, LOCK: LH AIR SHIELD, NO. 10 MS35340-43 (96906)		EA	2	*	*	*	*	*	*	*	*	8	11
P 0		NUT, PLAIN, HEXAGON: LH AIR SHIELD, NO. 10-24 THD SIZE MS35649-202 (96906)		EA	2	*	*	*	*	*	*	*	*	8	12
X20		SHIELD, REVERSE AIR FLOW: LH 13205E5561 (97403)		EA	1									8	13
P 0	2990-235-4709	CAP ASSEMBLY, MUFFLER 13205E5515 (97403)		EA	1	*	2	2	*	2	2	16	12	9	1
P 0		SCREW, MACHINE: EXHAUST CLAMP, 1/4-20 THD SIZE, 5/8 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-280 (96906)		EA	1	*	*	*	*	*	*	*	*	9	2
P 0		WASHER, FLAT: EXHAUST CLAMP, .281 IN. ID, .625 IN. OD, .065 IN. THK MS27183-10 (96906)		EA	1	*	*	*	*	*	*	*	*	9	3
P 0		WASHER, LOCK: EXHAUST CLAMP, 1/4 IN. MS35340-44 (96906)		EA	1	*	*	*	*	*	*	*	*	9	4
P 0		NUT, PLAIN, HEXAGON: EXHAUST CLAMP, 1/4-20 THD SIZE MS51967-2 (96906)		EA	1	*	*	*	*	*	*	*	*	9	5
X20		CLAMP, LOOP: EXHAUST 13205E5459 (97403)		EA	1									9	6
P 0		SCREW, CAP, HEXAGON HEAD: EXHAUST PIPE MTG, 3/8-16 THD SIZE, 7/8 IN. LG MS90725-59 (96906)		EA	2	*	*	*	*	*	*	*	*	9	7
P 0		WASHER, LOCK: EXHAUST PIPE MTG, 3/8 IN. MS35340-46 (96906)		EA	2	*	*	*	*	*	*	*	*	9	8
P 0	2990-235-4708	PIPE, EXHAUST 13205E5457 (97403)		EA	1	*	2	2	*	2	2	16	12	9	9
P 0	2990-066-2494	GASKET 13206E0642 (97403)		EA	1	3	5	10	3	5	10	120	100	9	10
P 0		SCREW, CAP, HEXAGON HEAD: MUFFLER MTG, 3/8-16 THD SIZE, 7/8 IN. LG MS90725-59 (96906)		EA	2	*	*	*	*	*	*	*	*	9	11
P 0		WASHER, LOCK: MUFFLER MTG, 3/8 IN. MS35340-46 (96906)		EA	2	*	*	*	*	*	*	*	*	9	12
P 0	2990-235-4707	MUFFLER, EXHAUST 13205E5469 (97403)		EA	1	*	2	2	*	2	2	16	12	9	13
P 0		GASKET: EXHAUST MANIFOLD 13206E0642 (97403)		EA	1	*	*	*	*	*	*	*	*	9	14
		GROUP 04 - FUEL SYSTEM													
P 0	4730-555-1152	FITTING, SWIVEL NUT: HOSE, 7/16-20 THD SIZE 13205E5560 (97403)		EA	2	*	2	2	*	2	2	16	12	10	1
P 0	4730-542-3304	HOSE, FUEL AND OIL: 47 IN. LG, 1/4 IN. ID MILH1344TYPE11 (81349)		EA	1	*	2	2	*	2	2	16	12	10	2
X20		ADAPTER, STRAIGHT, PIPE TO TUBE: 1/8 NPTF X 7/16-20 UNF MILF18866TYPE1STYLE1 (81349)		EA	1									10	3

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O		NUT, PLAIN, HEXAGON: FUEL TANK RETAINER, 3/8-16 THD SIZE MS51967-8 (96906)		EA	2	*	*	*	*	*	*	*	*	10	4
P O		WASHER, LOCK: FUEL TANK RETAINER, 3/8 IN. MS35340-46 (96906)		EA	2	*	*	*	*	*	*	*	*	10	5
P O		WASHER, FLAT: FUEL TANK RETAINER, .406 IN. ID, .812 IN. OD, .065 IN. THK MS27183-14 (96906)		EA	2	*	*	*	*	*	*	*	*	10	6
X20		BOLT, HOOK: FUEL TANK, 3/8-16 THD SIZE 13205E5439 (97403)		EA	2									10	7
X20		RETAINER: FUEL TANK 13205E5434 (97403)		EA	1									10	8
X20		TANK, FUEL: ENGINE 13205E5466 (97403)		EA	1									10	9
P O	2910-911-0081	CAP, FUEL TANK MS35645-2 (96906)		EA	1	*	2	2	*	2	2	16	12	10	10
X20		GASKET, RUBBER: FUEL TANK NECK 13205E5538 (97403)		EA	1									10	11
X20		PLUG, DRAIN: FUEL TANK, 1/2-14 NPTF, HEXAGON HEAD SAEJ53XTABLE2AFTG2 (81348)		EA	1									10	12
P O		SCREW, MACHINE: COCK PLUG MTG, 1/4-20 THD SIZE, 3/4 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-281 (96906)		EA	2	*	*	*	*	*	*	*	*	10	13
P O		NUT, PLAIN, HEXAGON: COCK PLUG MTG, 1/4-20 THD SIZE MS51967-2 (96906)		EA	2	*	*	*	*	*	*	*	*	10	14
P O		WASHER, LOCK: COCK PLUG MTG, 1/4 IN. MS35340-44 (96906)		EA	2	*	*	*	*	*	*	*	*	10	15
X20		ELBOW: 7/16-20 THD SIZE MILF18866TYPE3STYLE2 (81349)		EA	2									10	16
X20		ELBOW, PIPE TO TUBE: FUEL VALVE, 1/8 NPTF X 1/2-20 UNF, 90 DEG MILF18866TYPE3STYLE2 (81349)		EA	1									10	17
X20		CAP, TUBE FITTING: FUEL VALVE 13205E5543 (97403)		EA	1									10	18
P O	4730-555-1152	FITTING, SWIVEL 13205E5560 (97403)		EA	2	REF	REF	REF	REF	REF	REF	REF	REF	10	19
P O	4730-542-3304	HOSE, RUBBER: 1/4 IN. ID X 13 IN. LG MILM13444TYPE11 (97403)		EA	1	REF	REF	REF	REF	REF	REF	REF	REF	10	20
X20		ELBOW: 90 DEGREE MILF18866TYPE3STYLE2 (81349)		EA	1									10	21
P O	4820-449-0491	COCK PLUG, THREE-WAY: 1/8-27 NPTF MS35932-1 (96906)		EA	1	*	2	2	*	2	2	12	8	10	22
P O		SCREW, MACHINE: FUEL VALVE BRACKET, 1/4-20 THD SIZE, 5/8 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-280 (96906)		EA	2	*	*	*	*	*	*	*	*	10	23
P O		WASHER, FLAT: FUEL VALVE BRACKET, .281 IN. ID, .625 IN. OD, .065 IN. THK MS27183-10 (96906)		EA	2	*	*	*	*	*	*	*	*	10	24
P O		NUT, PLAIN, HEXAGON: FUEL VALVE BRACKET, 1/4-20 THD SIZE MS51967-2 (96906)		EA	2	*	*	*	*	*	*	*	*	10	25

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O		WASHER, LOCK: FUEL VALVE BRACKET, 1/4 IN. MS35340-44 (96906)		EA	2	*	*	*	*	*	*	*	*	10	26
X20		BRACKET, FUEL VALVE 13205E5508 (97403)		EA	1									10	27
X20		NIPPLE, PIPE: 1/8 X 1 1/2 IN. LG MS51953-6 (96906)		EA	1									10	28
		GROUP 05 - BATTERY													
P O	5940-549-6583	TERMINAL LUG: NEGATIVE BATTERY MS75004-2 (96906)		EA	1	*	2	2	*	2	2	16	12	11	1
P O	6150-235-4678	LEAD, ELECTRICAL: GROUND NEGATIVE, 26 IN. 13205E5544-70 (97403)		EA	1	*	2	2	*	2	2	16	12	11	2
P O	5940-549-6581	TERMINAL LUG: POSITIVE BATTERY MS75004-1 (96906)		EA	1	*	2	2	*	2	2	16	12	11	3
P O	6150-235-4679	LEAD, ELECTRICAL: POSITIVE, 36 IN. 13205E5544-71 (97403)		EA	1	*	2	2	*	2	2	16	12	11	4
P O		NUT, PLAIN, WING: BATTERY HOOK BOLT, 1/4-20 THD SIZE MS35425-39 (96906)		EA	2	*	*	*	*	*	*	*	*	11	5
P O		WASHER, LOCK: BATTERY HOOK BOLT, 1/4 IN. MS35340-44 (96906)		EA	2	*	*	*	*	*	*	*	*	11	6
P O		WASHER, FLAT: BATTERY HOOK BOLT, .281 IN. ID, .625 IN. OD, .065 IN. THK MS27183-10 (96906)		EA	2	*	*	*	*	*	*	*	*	11	7
X20		RETAINER, BATTERY 13205E5456 (97403)		EA	1									11	8
X20		BOLT, HOOK BATTERY: 1/4-20 THD SIZE 13205E5458 (97403)		EA	2									11	9
P O	6140-059-3528	BATTERY, STORAGE: 24V, DRY CHARGED MS75047-1 (96906)		EA	1	*	2	2	*	2	2	30	24	11	10
P O		SCREW, MACHINE: BATTERY CLIP, NO. 10-24 THD SIZE, 5/16 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-260 (96906)		EA	1	*	*	*	*	*	*	*	*	11	11
P O		WASHER, LOCK: BATTERY CLIP, NO. 10 MS35340-43 (96906)		EA	1	*	*	*	*	*	*	*	*	11	12
P O		WASHER, FLAT: BATTERY CLIP, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)		EA	1	*	*	*	*	*	*	*	*	11	13
X20		CLIP, RETAINER: BATTERY BOLT 13205E5547 (97403)		EA	1									11	14
P O	6810-249-9354	SULFURIC ACID: ELECTROLYTE O5501A (81348) (ONE GALLON BOTTLE)		EA	1	2	4	8	2	4	8	100	100		
		GROUP 06 - GENERATOR													
X20		RESISTANCE BOX, TAPPED ASSEMBLY 13205E5403 (97403)		EA	1									12	1
P O		SCREW, MACHINE: NO. 10-24 THD SIZE, 3/4 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-265 (96906)		EA	8	*	*	*	*	*	*	*	*	12	2

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O		WASHER, FLAT: .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)		EA	8	*	*	*	*	*	*	*	*	12	3
X20		NUT, SELF-LOCKING, HEXAGON: NO. 10-24 THD SIZE MILN24129-2-3C (81349)		EA	8									12	4
X20		FLANGE, RESISTANCE BOX 13205E5494 (97403)		EA	1									12	5
X20		STRAP, CABLE: ADJUST PLASTIC MS17821-2-0 (96906)		EA	14									12	6
X20		LEAD, ELECTRICAL 13205E5544-3 (97403)		EA	1									12	7
X20		LEAD, ELECTRICAL 13205E5544-10 (97403)		EA	1									12	8
X20		LEAD, ELECTRICAL 13205E5544-11 (97403)		EA	1									12	9
X20		LEAD, ELECTRICAL 13205E5544-12 (97403)		EA	1									12	10
P O		SCREW, CAP, HEXAGON HEAD: 1/4-20 THD SIZE, 1 IN. LG, BRASS MS35309-308 (96906)		EA	8	*	*	*	*	*	*	*	*	12	11
P O	5310-754-4337	WASHER, FLAT: 1/4 IN., BRASS MS45901-5 (96906)		EA	10	*	*	*	*	*	*	*	*	12	12
P O	5310-842-1699	NUT, PLAIN, HEXAGON: 1/4-20 THD SIZE, BRASS MS35691-4 (96906)		EA	10	*	*	*	*	*	*	*	*	12	13
P O	5310-682-5930	WASHER, LOCK: 1/4 IN. MS35340-44 (96906)		EA	10	*	*	*	*	*	*	*	*	12	14
X20		LEAD, ELECTRICAL 13205E5544-17 (97403)		EA	1									12	15
X20		LEAD, ELECTRICAL 13205E5544-16 (97403)		EA	1									12	16
X20		LEAD, ELECTRICAL 13205E5544-15 (97403)		EA	1									12	17
X20		LEAD, ELECTRICAL 13205E5544-14 (97403)		EA	1									12	18
X20		LEAD, ELECTRICAL 13205E5544-9 (97403)		EA	1									12	19
P O		SCREW, CAP, HEXAGON HEAD: 1/4-20 THD SIZE, 5/8 IN. LG, BRASS MS35309-305 (96906)		EA	2	*	*	*	*	*	*	*	*	12	20
P O		WASHER, FLAT: 1/4 IN. ID, BRASS MS45901-5 (96906)		EA	2	*	*	*	*	*	*	*	*	12	21
P O		NUT, PLAIN, HEXAGON: 1/4-20 THD SIZE, BRASS MS5169-1 (96906)		EA	2	*	*	*	*	*	*	*	*	12	22
P O		WASHER, LOCK: 1/4 IN. MS35338-120 (96906)		EA	2	*	*	*	*	*	*	*	*	12	23
X20		LINK, TERMINAL CONNECTING 13205E5487 (97403)		EA	1									12	24
P O		NUT, PLAIN, HEXAGON: NO. 10-24 THD SIZE MS35649-202 (96906)		EA	12	*	*	*	*	*	*	*	*	12	25
P O		WASHER, FLAT: .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)		EA	12	*	*	*	*	*	*	*	*	12	26

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O		WASHER, LOCK: NO. 10 MS35338-43 (96906)	EA	12	*	*	*	*	*	*	*	*	12	27
X20		U-BOLT, RESISTANCE ELEMENT 1305E5499 (97403)	EA	6									12	28
X20		RESISTANCE ELEMENT WAVE 13205E5489 (97403)	EA	1									12	29
P O		SCREW, MACHINE: 1/4-20 THD SIZE, 3/4 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-281 (96906)	EA	6	*	*	*	*	*	*	*	*	12	30
P O		WASHER, FLAT: .265 IN. ID, .500 IN. OD, .063 IN. THK AN960-416 (88044)	EA	6	*	*	*	*	*	*	*	*	12	31
P O		NUT, PLAIN, HEXAGON: 1/4-20 THD SIZE MS51967-2 (96906)	EA	6	*	*	*	*	*	*	*	*	12	32
P O		WASHER, LOCK: 1/4 IN. MS35338-44 (96906)	EA	6	*	*	*	*	*	*	*	*	12	33
X20		BRACKET, RESISTANCE: WIRE SUPPORTS 13205E5495 (97403)	EA	2									12	34
X20		INSULATOR, PLATE END 13205E5490 (97403)	EA	2									12	35
X20		INSULATOR ASSEMBLY: STANDOFF 13205E5473-1 (97403)	EA	1									12	36
X20		INSULATOR ASSEMBLY: STANDOFF 13205E5473-2 (97403)	EA	1									12	37
X20		INSULATOR ASSEMBLY: STANDOFF 13205E5473-3 (97403)	EA	1									12	38
X20		RESISTANCE, ELEMENT 13205E5488 (97403)	EA	1									12	39
X20		INSULATOR, PLATE SIDE 13205E5491 (97403)	EA	1									12	40
X20		INSULATOR, PLATE, RESISTANCE BOX 13205E5492 (97403)	EA	1									12	41
X20		FRAME, RESISTANCE BOX 13205E5493 (97403)	EA	1									12	42
P O		SCREW, MACHINE: RESISTANCE BOX MTG, NO. 10-24 THD SIZE, 5/8 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-264 (96906)	EA	4	*	*	*	*	*	*	*	*	12	43
P O		WASHER, FLAT: RESISTANCE BOX MTG, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)	EA	4	*	*	*	*	*	*	*	*	12	44
P O		WASHER, LOCK: RESISTANCE BOX MTG, NO. 10 MS35ER0-43 (96906)	EA	4	*	*	*	*	*	*	*	*	12	45
P F		SCREW, CAP, HEXAGON HEAD: GENERATOR MTG, 3/8-16 X 1 1/4 IN. MS90728-62 (96906)	EA	8	*	*	*	*	*	*	*	*	13	1
P F		WASHER, LOCK: GENERATOR MTG, 3/8 IN. MS35338-46 (96906)	EA	8	*	*	*	*	*	*	*	*	13	2
P F		SCREW, CAP: GENERATOR MTG, 1/2-13 X 1 3/4 IN. MS90728-114 (96906)	EA	2	*	*	*	*	*	*	*	*	13	3
P F		NUT, PLAIN, HEXAGON: 1/2-13 THD SIZE MS51967-15 (96906)	EA	2	*	*	*	*	*	*	*	*	13	4

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P F		WASHER, LOCK: 1/2 IN. MS35340-48 (96906)		EA	2	*	*	*	*	*	*	*	*	13	5
P F		SCREW, CAP, HEXAGON: DRIVE SHAFT TO GENERATOR, 5 1/6-18 X 1 IN. MS90728-34 (96906)		EA	4	*	*	*	*	*	*	*	*	13	6
P F		WASHER, LOCK: DRIVE SHAFT TO GENERATOR, 5/16 IN. MS35340-45 (96906)		EA	4	*	*	*	*	*	*	*	*	13	7
P F T	3431-522-1861	GENERATOR: 300 AMP 13205E5401 (97403)		EA	1	*	*	*	*	*	*	3	*	13	8
P F		SCREW, CAP, HEXAGON: 3/8-16 X 2 INCHES MS90728-66 (96906)		EA	1	*	*	*	*	*	*	*	*	14	1
P F		WASHER, LOCK: 3/8 IN. MS35338-46 (96906)		EA	1	*	*	*	*	*	*	*	*	14	2
P F		WASHER, FLAT MS27183-15 (96906)		EA	3	*	*	*	*	*	*	*	*	14	3
P H		SCREW, CAP, HEXAGON: 1/4-20 X 5/8 IN. MS90725-5 (96906)		EA	3				*	*	*	*	*	14	4
P H		WASHER, LOCK MS35338-44 (96906)		EA	3				*	*	*	*	*	14	5
X2H		PLATE RETAINING, BEARING 13205E5448 (97403)		EA	1									14	6
P H		SCREW, CAP, HEXAGON: 3/8-16 X 1 1/2 IN. MS90725-64 (96906)		EA	4				*	*	*	*	*	14	7
P H		WASHER, LOCK MS35338-46 (96906)		EA	4				*	*	*	*	*	14	8
P O	5977-235-4683	BRUSH, ELECTRICAL CONTACT: ALTERNATING CURRENT 13205E5425 (97403)		EA	4	6	13	25	6	13	25	300	400	14	9
X2H		HOUSING, ELECTRICAL ROTATING EQUIPMENT, REAR 13205E5462 (97403)		EA	1									14	10
P H	3110-158-8250	BEARING, BALL ANNULAR 13205E5461 (97403)		EA	1				*	*	*	16	12	14	11
P H		SCREW, CAP, HEXAGON: 5/16-18 X 7/8 IN. MS90728-33 (96906)		EA	4				*	*	*	*	*	14	12
P H		WASHER, LOCK MS35338-45 (96906)		EA	4				*	*	*	*	*	14	13
P H		SCREW, CAP, SOCKET HEAD: NO. 10-32 THD SIZE, 1/2 IN. LG MS16998-27 (96906)		EA	4				*	*	*	*	*	14	14
P H		WASHER, LOCK: NO. 10 MS35338-43 (96906)		EA	4				*	*	*	*	*	14	15
X2H		FAN, ELECTRICAL: ROTATING EQUIPMENT 13205E5420 (97403)		EA	1									14	16
X2F		KEY, MACHINE: 7/16 X 7/16 X 2 IN. MS20068-304 (96906)		EA	1									14	17
P H T	3431-522-1862	ARMATURE, GENERATOR 13205E5406 (97403)		EA	1				*	*	*	*	*	14	18
P H		SCREW, CAP, HEXAGON: 3/8-16 X 7/8 INCHES MS90725-59 (96906)		EA	2				*	*	*	*	*	14	19

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P H		WASHER, LOCK MS35338-46 (96906)	EA	2				*	*	*	*	*	14	20
X2H		POLE, PIECE: INTERPOLE 13205E5442 (97403)	EA	4									14	21
X2H		COIL ASSEMBLY: ALTERNATING CURRENT FIELDS 13205E5465 (97403)	EA	1									14	22
X2H		POLE PIECE: ALTERNATING CURRENT FIELDS 13205E5444 (97403)	EA	2									14	23
P F		SCREW, CAP, HEXAGON: 3/8-16 X 1 3/4 IN. MS90728-65 (96906)	EA	4	*	*	*	*	*	*	*	*	14	24
P F		WASHER, LOCK: 3/8 IN. MS35338-46 (96906)	EA	4	*	*	*	*	*	*	*	*	14	25
X2H		POLE, PIECE: DIRECT CURRENT FIELDS 13205E5443 (97403)	EA	4									14	26
X2H		COIL, COMPOUNDING 13205E5455-2 (97403)	EA	1									14	27
P H		SCREW, CAP: 1/4-28 X 3/4 IN. MS16998-43 (96906)	EA	2				*	*	*	*	*	14	28
P H		WASHER, LOCK MS35338-44 (96906)	EA	2				*	*	*	*	*	14	29
X2H		CLAMP, HOLDER ASSEMBLY, ELECTRICAL CONTACT BRUSH 13205E5431 (97403)	EA	2									14	30
P O	5977-235-4682	BRUSH, ELECTRICAL CONTACT: DIRECT CURRENT 13205E5426 (97403)	EA	8	12	26	50	12	26	50	600	800	14	31
X2H		HOUSING, ELECTROTATE: EQUIPMENT FRONT 13205E5463 (97403)	EA	1									14	32
P O		SCREW, MACHINE: CLAMP, NO. 10-24 THD SIZE, 3/8 IN. LG MS35206-261 (96906)	EA	3	*	*	*	*	*	*	*	*	14	33
P O		WASHER, LOCK: CLAMP, NO. 10 MS35338-43 (96906)	EA	3	*	*	*	*	*	*	*	*	14	34
X20		CLAMP, LOOP MS21919-4 (96906)	EA	3									14	35
X2H		LEAD, ELECTRICAL 13205E5500-3 (97403)	EA	1									14	36
X2F		SUPPORT, GENERATOR MOUNTING 13205E5486 (97403)	EA	1									14	37
P O		SCREW: TERMINAL BOARD, PAN HEAD, SLOT DRIVE MS35206-246 (96906)	EA	2	*	*	*	*	*	*	*	*	14	38
P O		WASHER, LOCK: TERMINAL BOARD MS35338-42 (96906)	EA	2	*	*	*	*	*	*	*	*	14	39
X20		TERMINAL BOARD: 20 AMP, 6 TERMINAL MILT55164-2TYPE38TB6 (81349)	EA	1									14	40
X2F		HARNESS, WIRING: BRANCHED, GENERATOR SECTION 13205E5534 (97403)	EA	1										
P O		SCREW, CAP: TERMINAL BOARD MS90725-65 (96906)	EA	4	*	*	*	*	*	*	*	*	15	1
P O		WASHER, LOCK: TERMINAL BOARD MS35338-46 (96906)	EA	4	*	*	*	*	*	*	*	*	15	2

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O		WASHER, FLAT: TERMINAL BOARD MS27183-14 (96906)		EA	4	*	*	*	*	*	*	*	*	15	3
X20		TERMINAL BOARD 13205E5451 (97403)		EA	2									15	4
X20		SUPPORT, TERMINAL BOARD 13205E5460 (97403)		EA	1									15	5
P O		SCREW, CAP, HEXAGON: 1/4-20 X 1 3/4 IN. MS35309-313 (96906)		EA	2	*	*	*	*	*	*	*	*	15	6
P O		NUT, PLAIN, HEXAGON: 1/4-20 THD SIZE MS35691-411 (96906)		EA	2	*	*	*	*	*	*	*	*	15	7
P O		WASHER, LOCK: 1/4 IN. MS35338-120 (96906)		EA	2	*	*	*	*	*	*	*	*	15	8
P O		WASHER, FLAT: 1/4 IN. MS45901-5 (96906)		EA	4	*	*	*	*	*	*	*	*	15	9
X20		SPACER, SLEEVE 13205E5435 (97403)		EA	2									15	10
X1		TERMINAL BLOCK 13205E5450 (97403)		EA	1									15	11
X20		INSULATOR, TERMINAL BOARD 13205E5449 (97403)		EA	2									15	12
P F	3040-400-7603	COUPLING SHAFT: FLEXIBLE ASSEMBLY 13205E5417 (97403)		EA	1	*	*	*	*	*	*	5	*	16	1
X2F		SETSCREW, SQUARE HEAD: 5/16-18 X 3/4 IN. MS51955-19 (96906)		EA	2									16	2
X2F		COUPLING, HALF SHAFT 13205E5418 (97403)		EA	1									16	3
P F		SCREW: COUPLING MTG MS90728-34 (96906)		EA	8	*	*	*	*	*	*	*	*	16	4
P F		WASHER, LOCK: COUPLING MTG, 5/16 IN. MS35338-45 (96906)		EA	8	*	*	*	*	*	*	*	*	16	5
X2F		INSERT, FLEXIBLE COUPLING 13205E5419 (97403)		EA	2									16	6
X2F		HOLDER ASSEMBLY: BRUSH CONTACT 13205E5421 (97403)		EA	1									17	1
P F		SCREW, CAP, HEXAGON: 1/4-20 X 1 1/4 IN. MS35309-310 (96906)		EA	4	*	*	*	*	*	*	*	*	17	2
P F		WASHER, LOCK MS35338-120 (96906)		EA	4	*	*	*	*	*	*	*	*	17	3
P F		WASHER, FLAT MS45905L5 (96906)		EA	4	*	*	*	*	*	*	*	*	17	4
X2F		HOLDER, ELECTRICAL, CONTACT BRUSH: DIRECT CURRENT 13205E5424 (97403)		EA	4									17	5
P F		NUT, SELF-LOCKING: 1/4-28 THD SIZE MS21042-4 (96906)		EA	4	*	*	*	*	*	*	*	*	17	6
P F		WASHER, FLAT MS27183-10 (96906)		EA	4	*	*	*	*	*	*	*	*	17	7
P F	5360-406-4554	SPRING, SPIRAL 13205E5430 (97403)		EA	8	*	*	*	*	*	*	*	*	17	8

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P F		SCREW, MACHINE: 1/4-28 X 2 3/4 IN. LG MS35191-300 (96906)	EA	4	*	*	*	*	*	*	*	*	17	9
X2F		SUPPORT, HOLDER: ELECTRICAL CONTACT BRUSH, DIRECT CURRENT 13205E5428 (97403)	EA	4									17	10
X2F		SUPPORT, HOLDER, ELECTRICAL CONTACT BRACKET: AC 13205E5427-1 (97403)	EA	2									17	11
X2F		SUPPORT, HOLDER, ELECTRICAL CONTACT BRACKET: AC 13205E5427-2 (97403)	EA	2									17	12
P F		SCREW, MACHINE: 3/8-16 X 2 1/2 INCHES MS35198-103 (96906)	EA	4	*	*	*	*	*	*	*	*	17	13
P F		WASHER, LOCK: 3/8 IN. MS35338-122 (96906)	EA	8	*	*	*	*	*	*	*	*	17	14
P F		WASHER, FLAT: 3/8 IN. MS45901-7 (96906)	EA	8	*	*	*	*	*	*	*	*	17	15
P F		SCREW, MACHINE: 1/4-28 X 2 1/2 INCHES MS35191-299 (96906)	EA	2	*	*	*	*	*	*	*	*	17	16
P F		NUT, SELF-LOCKING MS21042-4 (96906)	EA	4	*	*	*	*	*	*	*	*	17	17
P F		WASHER, FLAT MS27183-10 (96906)	EA	4	*	*	*	*	*	*	*	*	17	18
P F	5977-235-4681	HOLDER, BRUSH: AC 13205E5423 (97403)	EA	4	2	2	2	2	2	2	24	16	17	19
X2F		SPACER, ELECTRICAL CONTACT 13205E5432 (97403)	EA	4									17	20
P F		SCREW, MACHINE: NO. 6-32 X 7/8 IN. MS35190-241 (96906)	EA	4	*	*	*	*	*	*	*	*	17	21
P F		WASHER, FLAT MS27183-5 (96906)	EA	4	*	*	*	*	*	*	*	*	17	22
P F	5360-406-4553	SPRING SPIRAL, TORSION: AC 13205E5429 (97403)	EA	4	2	2	3	2	2	3	32	24	17	23
X2F		BAR SPRING, TENSIONER 13205E5470 (97403)	EA	4									17	24
P F		NUT, SELF-LOCKING: NO. 6-32 MS21042-06 (96906)	EA	4	*	*	*	*	*	*	*	*	17	25
X2F		RING, ELECTRICAL CONTACT BRUSH 13205E5422 (97403)	EA	1									17	26
		GROUP 07 - INSTRUMENT PANEL												
P O	5305-984-6211	SCREW, MACHINE: CONTROL PANEL MTG, NO. 10-24 THD SIZE, 5/8 IN. LG MS35206-264 (96906)	EA	7	*	*	*	*	*	*	*	*	18	1
P O	5310-809-8546	WASHER, FLAT: CONTROL PANEL MTG, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)	EA	9	*	*	*	*	*	*	*	*	18	2
P O	5310-934-9758	NUT, PLAIN: CONTROL PANEL MTG, NO. 10-24 THD SIZE MS35649-202 (96906)	EA	1	*	*	*	*	*	*	*	*	18	3
P O	5310-721-7809	WASHER, LOCK: CONTROL PANEL MTG, NO. 10 MS35340-43 (96906)	EA	7	*	*	*	*	*	*	*	*	18	4

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
X20		PANEL, FRONT 13205E5520 (97403)	EA	1									18	5
P O		SCREW, CAP: 1/4-20 THD SIZE, 1 3/8 IN. LG MS90725-11 (96906)	EA	4	*	*	*	*	*	*	*	*	18	6
P O		WASHER, FLAT: .312 IN. ID, .750 IN. OD, .065 IN. THK MS27183-11 (96906)	EA	4	*	*	*	*	*	*	*	*	18	7
P O		NUT, PLAIN, HEXAGON: 1/4-20 THD SIZE MS51967-2 (96906)	EA	4	*	*	*	*	*	*	*	*	18	8
P O		WASHER, LOCK: 1/4 IN. MS35338-44 (96906)	EA	4	*	*	*	*	*	*	*	*	18	9
X20		LEAD, ELECTRICAL 13205E5544-6 (97403)	EA	1									18	10
X20		LEAD, ELECTRICAL 13205E5544-5 (97403)	EA	1									18	11
P O	5935-814-4732	CONNECTOR RECEPTACLE, SLAVE: 24V MS75058-1 (96906)	EA	1	*	*	*	*	*	*	5	*	18	12
P O		SCREW, MACHINE: NO. 6-32 THD SIZE, 5/16 IN. LG MS35206-227 (96906)	EA	2	*	*	*	*	*	*	*	*	18	13
P O		WASHER, FLAT: .156 IN. ID, .312 IN. OD, .035 IN. THK MS27183-5 (96906)	EA	2	*	*	*	*	*	*	*	*	18	14
P O		NUT, PLAIN, HEXAGON: NO. 6-32 THD SIZE MS35649-262 (96906)	EA	2	*	*	*	*	*	*	*	*	18	15
P O		WASHER, LOCK: NO. 6 MS35338-41 (96906)	EA	2	*	*	*	*	*	*	*	*	18	16
X20		LEAD, ELECTRICAL 13205E5546-2 (97403)	EA	1									18	17
X20		LEAD, ELECTRICAL 13205E5544-50 (97403)	EA	1									18	18
P O	5935-892-9603	CONNECTOR RECEPTACLE: GROUND 15 AMP, 125V WC596STYLED8 (81348)	EA	1	*	*	*	*	*	*	5	*	18	19
P O		SCREW, MACHINE: TOGGLE SWITCH MTG, NO. 10-24 THD SIZE, 3/8 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-261 (96906)	EA	2	*	*	*	*	*	*	*	*	18	20
P O		WASHER, FLAT: TOGGLE SWITCH MTG, .218 IN. ID, .437 IN. OD, .049 IN. THK MS27183-8 (96906)	EA	2	*	*	*	*	*	*	*	*	18	21
P O		NUT, PLAIN, HEXAGON: TOGGLE SWITCH MTG, NO. 10-24 THD SIZE MS35649-202 (96906)	EA	2	*	*	*	*	*	*	*	*	18	22
P O		WASHER, LOCK: TOGGLE SWITCH MTG, NO. 10 MS35338-43 (96906)	EA	2	*	*	*	*	*	*	*	*	18	23
X20		LEAD, ELECTRICAL 13205E5544-48A (97403)	EA	1									18	24
X20		LEAD, ELECTRICAL 13205E5544-48 (97403)	EA	1									18	25
X20		LEAD, ELECTRICAL 13205E5544-27 (97403)	EA	1									18	26
P O	5930-893-7973	SWITCH, TOGGLE: EXTERNAL, HEAVY DUTY 13205E5503 (97403)	EA	1	*	2	2	*	2	2	16	12	18	27

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O		SCREW: NO. 10-24 X 3/8 IN. MS35206-261 (96906)		EA	2	*	*	*	*	*	*	*	*	18	28
P O		WASHER, FLAT MS27183-8 (96906)		EA	2	*	*	*	*	*	*	*	*	18	29
P O		NUT MS35649-202 (96906)		EA	2	*	*	*	*	*	*	*	*	18	30
P O		WASHER, LOCK MS35338-43 (96906)		EA	2	*	*	*	*	*	*	*	*	18	31
X20		BRACKET ASSEMBLY, RESISTOR MS75009-35 (96906)		EA	2									18	32
X20		LEAD, ELECTRICAL 13205E5544-25 (97403)		EA	1									18	33
X20		LEAD, ELECTRICAL 13205E5544-26 (97403)		EA	1									18	34
P O	5905-878-4365	RESISTOR, WIRE WOUND RW35V251 (81349)		EA	1	*	*	*	*	*	*	5	*	18	35
P O	5925-252-4209	CIRCUIT BREAKER: 20 AMP, 120V, AC MS9019-2-74 (81349)		EA	1	*	2	2	*	2	2	12	8	18	36
P O	5935-250-4417	CONNECTOR, DUMMY: PLUG ELECTRICAL 13205E5501 (97403)		EA	1	*	2	2	*	2	2	12	8	18	37
P O		SCREW, CAP, HEXAGON HEAD: 1/2-13 THD SIZE, 3/4 IN. LG, BRASS MS35309-407 (96906)		EA	1	*	*	*	*	*	*	*	*	18	38
P O		WASHER, LOCK: 1/2 IN. MS35338-105 (96906)		EA	1	*	*	*	*	*	*	*	*	18	39
P O		WASHER, FLAT: 1/2 IN. MS45901-8 (96906)		EA	2	*	*	*	*	*	*	*	*	18	40
X20		LEAD, ELECTRICAL 13205E5544-69 (97403)		EA	1									18	41
P O		SCREW, CAP, HEXAGON HEAD: BUSHING MTG, ELECTRODE, 1/2-13 THD SIZE, 2 IN. LG MS35309-415 (96906)		EA	1	*	*	*	*	*	*	*	*	18	42
P O		WASHER, FLAT: BUSHING MTG, ELECTRODE, 1/2 IN., BRASS MS45901-8 (96906)		EA	1	*	*	*	*	*	*	*	*	18	43
P O		NUT, PLAIN, WING: BUSHING MTG, ELECTRODE, 1/2-13 THD SIZE, BRASS MS35425-36 (96906)		EA	1	*	*	*	*	*	*	*	*	18	44
X20		TERMINAL, ELECTRICAL CONTACT: ELECTRODE 13205E5505 (97403)		EA	1									18	45
X20		BUSHING, ELECTRICAL CONDUCTOR: ELECTRODE 13205E5516 (97403)		EA	2									18	46
X20		HAND WHEEL 13205E5454 (97403)		EA	1									18	47
P O		SCREW, MACHINE: SWITCH MTG, 1/4-20 THD SIZE, 3/4 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-281 (96906)		EA	3	*	*	*	*	*	*	*	*	18	48
P O		WASHER, FLAT: SWITCH MTG, 1/4 IN. MS27183-11 (96906)		EA	3	*	*	*	*	*	*	*	*	18	49
P O		NUT, PLAIN, HEXAGON: SWITCH MTG, 1/4-20 THD SIZE MS51967-2 (96906)		EA	3	*	*	*	*	*	*	*	*	18	50

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG NO.	(b) ITEM NO.
P O		WASHER, LOCK: SWITCH MTG, 1/4 IN, MS35338-44 (96906)		EA	3	*	*	*	*	*	*	*	*	18	51
P O	6625-842-0896	AMMETER: 400 AMP, DC MR36W444DCAAR (81349)		EA	1	*	*	*	*	*	*	5	*	19	1
X20		LEAD, ELECTRICAL: DC, AMMETER 13205E5544-41 (97403)		EA	1									19	2
X20		LEAD, ELECTRICAL: DC, AMMETER 13205E5544-42 (97403)		EA	1									19	3
P O	6625-842-0898	VOLTMETER: 100V, DC MR36W1H1DCVVR (81349)		EA	1	*	*	*	*	*	*	5	*	19	4
X20		LEAD, ELECTRICAL: DC, VOLTMETER 13205E5544-44 (97403)		EA	1									19	5
X20		LEAD, ELECTRICAL: DC, VOLTMETER 13205E5544-43 (97403)		EA	1									19	6
X20		SCREW, MACHINE: METER MTG, NO. 4-40 THD SIZE, 7/8 IN. LG, ROUNDHEAD, SLOTTED FF593TYPE1SYTLE15 (81348)		EA	3									19	7
P O		NUT, PLAIN, HEXAGON: METER MTG, NO. 4-40 THD SIZE MS35649-285 (96906)		EA	3	*	*	*	*	*	*	*	*	19	8
P O		WASHER, LOCK: METER MTG, NO. 4 MS35338-97 (96906)		EA	3	*	*	*	*	*	*	*	*	19	9
X20		LEAD, ELECTRICAL: METER TIME TOTAL 13205E5544-32 (97403)		EA	1									19	10
X20		LEAD, ELECTRIC: METER TIME TOTAL 13205E5544-29 (97403)		EA	1									19	11
P O	6645-952-9069	METER, TIME TOTALIZING: 115V, 60 CYCLE MS17324-1 (96906)		EA	1	*	2	2	*	2	2	12	8	19	12
X20		LEAD, ELECTRICAL 13205E5544-60 (97403)		EA	1									19	13
P O	6620-938-8212	INDICATOR, PRESSURE: 24V, DC, RANGE 0-60 PSI, NON-LUMINOUS DIAL MS24541-2 (96906)		EA	1	*	*	*	*	*	*	*	*	19	14
X20		LEAD, ELECTRICAL 13205E5544-61 (97403)		EA	1									19	15
P O	6625-321-6365	INDICATOR BATTERY, GENERATOR: 24V, DC MS24532-2 (96906)		EA	1	*	*	*	*	*	*	5	*	19	16
P O	5930-655-1521	SWITCH, TOGGLE: 10 AMP, 115V MS35058-29 (96906)		EA	1	*	2	2	*	2	2	16	12	19	17
X20		LEAD, ELECTRICAL 13205E5544-66 (97403)		EA	1									19	18
P O	5930-655-1522	SWITCH, TOGGLE: 10 AMP, 115V MS35058-30 (96906)		EA	1	*	2	2	*	2	2	16	12	19	19
X20		LEAD, ELECTRICAL 13205E5544-57 (97403)		EA	1									19	20
P O	5930-655-1582	SWITCH, TOGGLE: 15 AMP, 115V MS35059-23 (96906)		EA	1	*	2	2	*	2	2	16	12	19	21
X20		LEAD, ELECTRICAL 13205E5544-63 (97403)		EA	1									19	22
P O		NUT, PLAIN, WING: BUSHING MTG, GROUND, 1/2-13 THD SIZE, BRASS MS35425-36 (96906)		EA	1	*	*	*	*	*	*	*	*	19	23
X20		BUSHING, ELECTRICAL CONDUCTOR: GROUND 13205E5516 (97403)		EA	2									19	24

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE USABLE ON CODE	(4) UN.Y OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O		SCREW, CAP, HEXAGON HEAD: BUSHING MTG, GROUND, 1/2-13 THD SIZE, 2 IN. LG MS35309-415 (96906)	EA	1	*	*	*	*	*	*	*	*	19	30
P O		WASHER, FLAT: BUSHING MTG, GROUND, 1/2 IN., BRASS MS45901-8 (96906)	EA	1	*	*	*	*	*	*	*	*	19	31
X20		TERMINAL, ELECTRICAL CONTACT: GROUND 13205E5506 (97403)	EA	1									19	32
P O	5930-401-3383	SWITCH ASSEMBLY 13205E5475 (97403)	EA	1	*	2	2	*	2	2	16	12	20	1
P O		SCREW, MACHINE: 1/4-20 THD SIZE, 1 1/2 IN. LG MS35190-75 (96906)	EA	1	*	*	*	*	*	*	*	*	20	2
P O		NUT, PLAIN, HEXAGON: 1/4-20 THD SIZE MS35691-4 (96906)	EA	2	*	*	*	*	*	*	*	*	20	3
P O		WASHER, FLAT: 1/4 IN. THD SIZE MS45901-5 (96906)	EA	3	*	*	*	*	*	*	*	*	20	4
P O		WASHER, LOCK: 1/4 IN. MS35338-120 (96906)	EA	2	*	*	*	*	*	*	*	*	20	5
P O		SCREW, MACHINE: 1/4-20 THD SIZE, 3/4 IN. LG, FLAT COUNTERSUNK HEAD, CROSS-RECESSED MS35190-269 (96906)	EA	3	*	*	*	*	*	*	*	*	20	6
P O		WASHER, LOCK: 1/4 IN. EXTERNAL TOOTH MS35336-27 (96906)	EA	3	*	*	*	*	*	*	*	*	20	7
X20		INSULATOR PLATE: SWITCH MTG 13205E5477 (97403)	EA	1									20	8
X1		SWITCH, PUSH 13205E5502 (97403)	EA	1									20	9
X20		ADAPTER, SWITCH 13205E5483 (97403)	EA	1									20	10
P O		SCREW, MACHINE: 1/4-20 THD SIZE, 5/8 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-280 (96906)	EA	3	*	*	*	*	*	*	*	*	20	11
P O		WASHER, LOCK: 1/4 IN. MS35338-44 (96906)	EA	3	*	*	*	*	*	*	*	*	20	12
X20		INSULATOR PLATE, SWITCH COVER 13205E5478 (97403)	EA	1									20	13
X20		WASHER, SPRING TENSION 13205E5548 (97403)	EA	2									20	14
X20		CONTACT, ELECTRICAL RING 13205E5479 (97403)	EA	2									20	15
X20		INSULATING MOUNT, ELECTRICAL CONTACT ROTOR 13205E5481 (97403)	EA	1									20	16
X20		PIN, SPRING MS90548-109 (96906)	EA	1									20	17
X1		SHAFT, SWITCH 13205E5480 (97403)	EA	1									20	18
P O		WASHER, SPRING 13205E5468 (97403)	EA	1	*	*	*	*	*	*	*	*	20	19
X20		CATCH, FRICTION 13205E5519 (97403)	EA	1									20	20

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P O		SCREW, MACHINE: 1/4-20 THD SIZE, 1/2 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-279 (96906)	EA	2	*	*	*	*	*	*	*	*	21	5
P O		WASHER, LOCK MS35338-44 (96906)	EA	2	*	*	*	*	*	*	*	*	21	6
P O		WASHER, FLAT MS27183-11 (96906)	EA	2	*	*	*	*	*	*	*	*	21	7
X20		KNOB 1320SE5527 (97403)	EA	1									21	8
P O	5905-197-4209	RESISTOR, VARIABLE: 200 OHM M22-12-00161FD (81349)	EA	1	*	*	*	*	*	*	5	*	21	9
P O		SCREW, MACHINE: NO. 8-32 THD SIZE, 1/4 IN. LG, PAN HEAD, CROSS-RECESSED, BRASS MS35214-38 (96906)	EA	2	*	*	*	*	*	*	*	*	21	15
P O		WASHER, FLAT: NO. 8 MS45901-3 (96906)	EA	2	*	*	*	*	*	*	*	*	21	16
P O		NUT, PLAIN, HEXAGON: NO. 8-32 THD SIZE, BRASS MS25082B2 (96906)	EA	2	*	*	*	*	*	*	*	*	21	17
P O		WASHER, LOCK: NO. 8 MS35338-99 (96906)	EA	2	*	*	*	*	*	*	*	*	21	18
X20		LEAD, ELECTRICAL 1320SE5544-68 (97403)	EA	1									21	19
X20		SCREW, MACHINE: NO. 10-32 THD SIZE, 12.750 IN. LG, PAN HEAD, SLOTTED MS75009-23 (96906)	EA	1									21	30
P O		WASHER, LOCK: NO. 10 MS35338-138 (96906)	EA	2	*	*	*	*	*	*	*	*	21	31
P O		NUT, PLAIN, HEXAGON: NO. 10-32 THD SIZE MS35650-302 (96906)	EA	1	*	*	*	*	*	*	*	*	21	32
P O		WASHER, CENTERING: .684 IN. FLANGE DIA, 1.125 IN. OD, .045 IN. THK MS75009-6 (96906)	EA	2	*	*	*	*	*	*	*	*	21	33
X20		LEAD, ELECTRICAL 1320SE5544-67 (97403)	EA	1									21	34
X20		LEAD, ELECTRICAL 1320SE5544-45 (97403)	EA	1									21	35
X20		WASHER, MICA: .688 IN. ID, 1.375 IN. OD, .094 IN. THK MS75009-4 (96906)	EA	1									21	36
P O		RESISTOR, ADJUST: 50 OHM, 210 WATT RX47V500 (81349)	EA	1	*	*	*	*	*	*	*	*	21	37
P O		SCREW, MACHINE MS35206-248 (96906)	EA	4	*	*	*	*	*	*	*	*	21	38
P O		WASHER, FLAT: TERMINAL BOARD MTG, .187 IN. ID, .375 IN. OD, .049 IN. THK MS27183-7 (96906)	EA	4	*	*	*	*	*	*	*	*	21	39
P O		NUT, PLAIN, HEXAGON MS35649-282 (96906)	EA	4	*	*	*	*	*	*	*	*	21	40
P O		WASHER, LOCK MS35338-42 (96906)	EA	4	*	*	*	*	*	*	*	*	21	41
X20		TERMINAL BOARD MILT55164-1TYPE37TB4 (81349)	EA	1									21	42
X20		LEAD, ELECTRICAL 1320SE5544-49 (97403)	EA	1									21	43

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
P F		SCREW, MACHINE: SHUNT MTG, NO. 8-32 THD SIZE, 5/8 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-246 (96906)		EA	2	*	*	*	*	*	*	*	*	19	25
P F		WASHER, FLAT: SHUNT MTG, .187 IN. ID, .375 IN. OD, .049 IN. THK MS27183-7 (96906)		EA	2	*	*	*	*	*	*	*	*	19	26
P F		NUT, PLAIN, HEXAGON: SHUNT MTG, NO. 8-32 THD SIZE MS35649-282 (96906)		EA	2	*	*	*	*	*	*	*	*	19	27
P F		WASHER, LOCK: SHUNT MTG, NO. 8 MS35338-42 (96906)		EA	2	*	*	*	*	*	*	*	*	19	28
P F	6625-720-2854	SHUNT, INSTRUMENT: 50 MILV, 400 AMP MS91587-5 (96906)		EA	1	*	*	*	*	*	*	5	*	19	29
P O		SCREW, CAP, HEXAGON HEAD: BUSHING MTG, GROUND, 1/2-13 THD SIZE, 2 IN. LG MS35309-415 (96906)		EA	1	*	*	*	*	*	*	*	*	19	30
P O		WASHER, FLAT: BUSHING MTG, GROUND, 1/2 IN., BRASS MS45901-8 (96906)		EA	1	*	*	*	*	*	*	*	*	19	31
X20		TERMINAL, ELECTRICAL CONTACT: GROUND 13205E5506 (97403)		EA	1									19	32
P O	5930-401-3383	SWITCH ASSEMBLY 13205E5475 (97403)		EA	1	*	2	2	*	2	2	16	12	20	1
P O		SCREW, MACHINE: 1/4-20 THD SIZE, 1 1/2 IN. LG MS35198-75 (96906)		EA	1	*	*	*	*	*	*	*	*	20	2
P O		NUT, PLAIN, HEXAGON: 1/4-20 THD SIZE MS35691-4 (96906)		EA	2	*	*	*	*	*	*	*	*	20	3
P O		WASHER, FLAT: 1/4 IN. THD SIZE MS45901-5 (96906)		EA	3	*	*	*	*	*	*	*	*	20	4
P O		WASHER, LOCK: 1/4 IN. MS35338-120 (96906)		EA	2	*	*	*	*	*	*	*	*	20	5
P O		SCREW, MACHINE: 1/4-20 THD SIZE, 3/4 IN. LG, FLAT COUNTERSUNK HEAD, CROSS-RECESSED MS35190-289 (96906)		EA	3	*	*	*	*	*	*	*	*	20	6
P O		WASHER, LOCK: 1/4 IN. EXTERNAL TOOTH MS35336-27 (96906)		EA	3	*	*	*	*	*	*	*	*	20	7
X20		INSULATOR PLATE: SWITCH MTG 13205E5477 (97403)		EA	1									20	8
X1		SWITCH, PUSH 13205E5502 (97403)		EA	1									20	9
X20		ADAPTER, SWITCH 13205E5483 (97403)		EA	1									20	10
P O		SCREW, MACHINE: 1/4-20 THD SIZE, 5/8 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-280 (96906)		EA	3	*	*	*	*	*	*	*	*	20	11
P O		WASHER, LOCK: 1/4 IN. MS35338-44 (96906)		EA	3	*	*	*	*	*	*	*	*	20	12
X20		INSULATOR PLATE, SWITCH COVER 13205E5478 (97403)		EA	1									20	13
X20		WASHER, SPRING TENSION 13205E5548 (97403)		EA	2									20	14

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
X20		CONTACT, ELECTRICAL RING 13205E5479 (97403)		EA	2									20	15
X20		INSULATING MOUNT, ELECTRICAL CONTACT ROTOR 13205E5481 (97403)		EA	1									20	16
X20		PIN, SPRING MS90048-109 (96906)		EA	1									20	17
X1		SHAFT, SWITCH 13205E5480 (97403)		EA	1									20	18
P O		WASHER, SPRING 13205E5468 (97403)		EA	1	*	*	*	*	*	*	*	*	20	19
X20		CATCH, FRICTION 13205E5519 (97403)		EA	1									20	20
P F		SCREW, MACHINE: NO. 10-24 THD SIZE, 5/8 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-264 (96906)		EA	4	*	*	*	*	*	*	*	*	21	1
P F		WASHER, LOCK: NO. 10 MS35338-43 (96906)		EA	4	*	*	*	*	*	*	*	*	21	2
P F		WASHER, FLAT MS27183-8 (96906)		EA	4	*	*	*	*	*	*	*	*	21	3
X2F		TRACK, ELECTRICAL EQUIPMENT 13205E5528 (97403)		EA	1									21	4
P O		SCREW, MACHINE: 1/4-20 THD SIZE, 1/2 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-279 (96906)		EA	2	*	*	*	*	*	*	*	*	21	5
P O		WASHER, LOCK MS35338-44 (96906)		EA	2	*	*	*	*	*	*	*	*	21	6
P O		WASHER, FLAT MS27183-11 (96906)		EA	2	*	*	*	*	*	*	*	*	21	7
X20		KNOB 13205E5527 (97403)		EA	1									21	8
P O	5905-197-4209	RESISTOR, VARIABLE: 200 OHM M22-12-00161FD (81349)		EA	1	*	*	*	*	*	*	5	*	21	9
P F	5305-984-6212	SCREW, MACHINE: NO. 10-24 THD SIZE, 3/4 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-265 (96906)		EA	4	*	*	*	*	*	*	*	*	21	10
P F	5310-809-8546	WASHER, FLAT MS27183-8 (96906)		EA	4	*	*	*	*	*	*	*	*	21	11
P F	5310-934-9758	NUT, PLAIN, HEXAGON MS35649-202 (96906)		EA	4	*	*	*	*	*	*	*	*	21	12
P F		WASHER, LOCK: NO. 10 MS35338-43 (96906)		EA	4	*	*	*	*	*	*	*	*	21	13
P F	5960-401-3382	RECTIFIER, SEMICONDUCTOR 13205E5530 (97403)		EA	2	*	*	*	*	*	*	*	*	21	14
P O		SCREW, MACHINE: NO. 8-32 THD SIZE, 1/4 IN. LG, PAN HEAD, CROSS-RECESSED, BRASS MS35214-38 (96906)		EA	2	*	*	*	*	*	*	*	*	21	15
P O		WASHER, FLAT: NO. 8 MS45901-3 (96906)		EA	2	*	*	*	*	*	*	*	*	21	16
P O		NUT, PLAIN, HEXAGON: NO. 8-32 THD SIZE, BRASS MS2508232 (96906)		EA	2	*	*	*	*	*	*	*	*	21	17
P O		WASHER, LOCK: NO. 8 MS35338-99 (96906)		EA	2	*	*	*	*	*	*	*	*	21	18

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE	USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
X20		LEAD, ELECTRICAL 13205E5544-68 (97403)		EA	1									21	19
P F	5305-984-6196	SCREW, MACHINE: SOLENOID RELAY MTG, NO. 8-32 THD SIZE, 7/8 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-248 (96906)		EA	2	*	*	*	*	*	*	*	*	21	20
P F		WASHER, FLAT MS27183-7 (96906)		EA	4	*	*	*	*	*	*	*	*	21	21
P F	5310-934-9757	NUT, PLAIN, HEXAGON: SOLENOID RELAY MTG, NO. 8-32 THD SIZE MS35649-282 (96906)		EA	2	*	*	*	*	*	*	*	*	21	22
P F		WASHER, LOCK: SOLENOID RELAY MTG, NO. 8 MS35338-42 (96906)		EA	2	*	*	*	*	*	*	*	*	21	23
P F	5945-401-0611	RELAY, SOLENOID 13205E5464 (97403)		EA	1	*	*	*	*	*	*	*	*	21	24
P F		WASHER, FLAT MS27183-11 (96906)		EA	4	*	*	*	*	*	*	*	*	21	25
P F		SCREW, MACHINE: 1/4-20 THD SIZE, 1 1/2 IN. LG, PAN HEAD, CROSS-RECESSED MS35206-285 (96906)		EA	4	*	*	*	*	*	*	*	*	21	26
P F		NUT, PLAIN, HEXAGON: 1/4 IN. MS51967-2 (96906)		EA	4	*	*	*	*	*	*	*	*	21	27
P F		WASHER, LOCK: 1/4 IN. MS35338-44 (96906)		EA	4	*	*	*	*	*	*	*	*	21	28
P F	5945-401-0612	RELAY, ARMATURE 13205E5472 (97403)		EA	1	*	*	*	*	*	*	*	*	21	29
X20		SCREW, MACHINE: NO. 10-32 THD SIZE, 12.750 IN. LG, PAN HEAD, SLOTTED MS75009-23 (96906)		EA	1									21	30
P O		WASHER, LOCK: NO. 10 MS35338-138 (96906)		EA	2	*	*	*	*	*	*	*	*	21	31
P O		NUT, PLAIN, HEXAGON: NO. 10-32 THD SIZE MS35650-302 (96906)		EA	1	*	*	*	*	*	*	*	*	21	32
P O		WASHER, CENTERING: .684 IN. FLANGE DIA, 1.125 IN. OD, .045 IN. THK MS75009-6 (96906)		EA	2	*	*	*	*	*	*	*	*	21	33
X20		LEAD, ELECTRICAL 13205E5544-67 (97403)		EA	1									21	34
X20		LEAD, ELECTRICAL 13205E5544-45 (97403)		EA	1									21	35
X20		WASHER, MICA: .688 IN. ID, 1.375 IN. OD, .094 IN. THK MS75009-4 (96906)		EA	1									21	36
P O		RESISTOR, ADJUST: 50 OHM, 210 WATT RX47V500 (81349)		EA	1	*	*	*	*	*	*	*	*	21	37
P O		SCREW, MACHINE MS35206-248 (96906)		EA	4	*	*	*	*	*	*	*	*	21	38
P O		WASHER, FLAT: TERMINAL BOARD MTG, .187 IN. ID, .375 IN. OD, .049 IN. THK MS27183-7 (96906)		EA	4	*	*	*	*	*	*	*	*	21	39
P O		NUT, PLAIN, HEXAGON MS35649-282 (96906)		EA	4	*	*	*	*	*	*	*	*	21	40
P O		WASHER, LOCK MS35338-42 (96906)		EA	4	*	*	*	*	*	*	*	*	21	41

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION REF NUMBER & MFR CODE / USABLE ON CODE	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30-DAY DS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(7) 30-DAY GS MAINT ALLOWANCE (a) 1-20	(b) 21-50	(c) 51-100	(8) 1-YR ALW PER 100 EQUIP CNTGY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FIG. NO.	(b) ITEM NO.
X20		TERMINAL BOARD MIL T55164-1 TYPE 37 TB4 (81349)	EA	1									21	42
X20		LEAD, ELECTRICAL 1320 5E5544-49 (97403)	EA	1									21	43
		GROUP 08 - FRAME												
X20		CHAINS AND ATTACHMENTS RRC271 TYPE1 VCLASS1 (81348)	EA	4									22	1
X20		PLATFORM, WELDING MACHINE 1320 5E5404 (97403)	EA	1									22	2
P O		NUT, PLAIN, WING MS35425-44 (96906)	EA	1	*	*	*	*	*	*	*	*	22	3
P O		WASHER, LOCK MS35340-48 (96906)	EA	1	*	*	*	*	*	*	*	*	22	4
P O		WASHER, FLAT MS27183-18 (96906)	EA	1	*	*	*	*	*	*	*	*	22	5



ME 3431-221-25P/1

Figure 1. Top, Side and Rear Panel



Figure 2. Side Access Panel



Figure 3. Control Panel Access Doors



ME 3431-221-25P/4

Figure 4. Engine



ME 3431-221-25P/5

Figure 5. Air Inlet Housing



ME 3431-221-25P/6

Figure 6. Oil Drain



Figure 7. Choke and Throttle Controls



Figure 8. Exhaust Guard and Reverse Air Shield



Figure 9. Muffler



Figure 10. Fuel Tank

ME 3431-221-25P/10



Figure 11. Battery



ME 3431-221-25P/12

Figure 12. Resistance Box



ME 3431-221-25/13

Figure 13. Generator Mounting



Figure 14. Generator Explode



Figure 15. Generator Terminal Board



ME 3431-221-25P/16

Figure 16. Generator Coupling Shaft



Figure 17. Brush Holder



ME 3431-221-25P/18

Figure 18. Instrument Panel Left Side



MF 3431-221-25P/19

Figure 19. Instrument Panel Right Side



ME 3431-221-25P/20

Figure 20. Switch



ME 3431-221-25P/21

Figure 21. Track



ME 3431-221-25/22

Figure 22. Frame

Section VII. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

Stock Number	Figure No.	Item No.
2805-872-5972	6	6
2835-895-3952	9	1
2910-911-0981	10	10
2990-066-2496	9	17
2990-235-4707	9	13
2990-235-4708	9	4
2990-235-4709	9	1
3040-400-7603	16	1
3110-158-8250	14	11
3431-522-1861	17	9
3431-522-1862	16	18
4730-542-3304	10	9
	10	20
4730-555-1152	10	1
	10	19
4820-448-5221	6	7
4820-449-0491	10	22
5305-984-6198	21	20
5305-984-6210	3	13
	3	18
5305-984-6211	1	1
	1	14
	2	1
	3	1
	3	5
	10	1
5305-984-6212	21	10
5310-627-6028	9	19
5310-682-5910	12	14
5310-721-7999	1	2
	1	15
	2	2
	3	4
	3	9
	3	15
	3	21
	18	4
5310-754-4397	12	12
5310-762-6249	1	12
5310-809-8546	1	3
	1	16
	2	3
	3	2
	3	7
	3	14
	3	19
	10	2
	21	11
5310-842-1699	12	13
5310-934-9757	21	22
5310-934-9758	3	3
	3	6
	3	16
	3	20
	10	3
	21	12
5320-051-9600	3	11
5330-921-6224	6	5
5340-356-7001	6	7
5340-406-1409	6	11
5340-406-4553	17	23
5340-406-4554	17	8
5905-197-4209	21	9
5905-878-4365	19	15
5925-252-4209	19	16
5930-401-3383	20	1
5930-655-1521	19	17
5930-655-1522	19	19
5930-655-1532	19	21
5930-893-7973	18	27
5935-250-4417	18	17
5935-816-4732	18	12
5935-892-9603	18	19
5940-549-6581	11	3
5940-549-6593	11	1
5945-401-0611	21	24
5945-491-9612	21	24
5960-401-3382	21	14
5977-235-4681	17	19
5977-235-4682	14	31
5977-235-4683	14	9
6140-099-3528	11	19

Stock Number	Figure No.	Item No.
6150-235-4678	11	2
6150-235-4679	21	6
6620-938-9212	19	14
6625-521-6365	19	15
6625-720-2956	19	22
6625-867-3804	19	1
6625-867-3808	19	4
6645-952-9040	19	12

Section VII. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

Reference No.	Mfg Code	Fig No.	Item No.
AN960-416	88044	12	31
D13206E0406	97403	5	5
D13206E0408	97403	9	2
D13206E1915	97403	9	3
FFS93TYPE1SVTLE15	81348	19	7
MILF18966TYPE1STYL	81349	10	3
MILF19966TYPE3STYL	81349	10	16
	81349	10	17
	81349	10	21
MILM1364TYPE11	81349	10	2
MILM13644TYPE11	97403	10	20
MILN24129-2-3C	81349	12	4
MILT55164-1TYPE37T	81349	21	42
MILT55164-2TYPE38T	81349	14	40
MR36W1H1DCVVR	81349	19	4
MR36W644CCAAR	81349	19	1
MS16998-27	96906	14	14
MS16998-43	96906	14	28
MS17324-1	96906	19	12
MS17821-2-0	96906	12	6
MS20068-304	96906	14	17
MS20613-6P5	96906	3	11
MS21042-06	96906	17	25
MS21042-4	96906	17	6
	96906	17	17
MS21333-2	96906	7	4
	96906	7	17
MS21919-4	96906	14	35
MS24532-2	96906	19	16
MS24541-2	96906	19	14
MS2508282	96906	21	17
MS271-83-7	96906	21	21
MS27128-3	96906	1	4
	96906	2	6
MS27183-10	96906	1	9
	96906	4	14
	96906	9	3
	96906	10	24
	96906	11	7
	96906	17	7
	96906	17	18
MS27183-11	96906	18	7
	96906	19	49
	96906	21	7
	96906	21	25
MS27183-14	96906	10	6
	96906	19	3
MS27183-15	96906	14	3
MS27183-19	96906	22	3
MS27183-5	96906	17	22
	96906	18	14
MS27183-7	96906	7	10
	96906	19	26
	96906	21	39
MS27183-8	96906	1	3
	96906	1	16
	96906	2	3
	96906	3	2
	96906	3	7
	96906	3	14
	96906	3	19
	96906	9	5
	96906	9	10
	96906	11	13
	96906	12	3
	96906	12	26
	96906	12	44
	96906	18	7
	96906	18	21
	96906	18	29
	96906	21	3
	96906	21	11
MS35ERO-43	96906	12	45
MS35058-29	96906	19	17
MS35058-30	96906	19	19
MS35059-23	96906	19	21
MS35190-241	96906	17	21
MS35190-289	96906	20	6
MS35191-299	96906	17	16
MS35191-300	96906	17	9
MS35198-133	96906	17	13
MS35198-75	96906	20	2

Reference No.	Mfg Code	Fig No.	Item No.
MS35206-213	96906	7	7
MS35206-227	96906	18	13
MS35206-241	96906	7	9
MS35206-246	96906	14	38
	96906	19	25
MS35206-248	96906	21	20
	96906	21	38
MS35206-260	96906	11	11
MS35206-261	96906	14	33
	96906	18	20
	96906	19	28
MS35206-263	96906	3	13
	96906	3	18
	96906	7	1
	96906	7	13
	96906	8	4
	96906	8	9
MS35206-264	96906	1	1
	96906	1	14
	96906	2	1
	96906	3	1
	96906	3	6
	96906	12	43
	96906	18	1
	96906	21	1
MS35206-265	96906	12	2
	96906	21	10
MS35206-279	96906	21	5
MS35206-280	96906	1	7
	96906	9	2
	96906	10	23
	96906	20	11
MS35206-281	96906	10	13
	96906	12	30
	96906	18	48
MS35206-285	96906	21	26
MS35214-38	96906	21	15
MS35309-308	96906	12	11
MS35309-310	96906	17	2
MS35309-313	96906	15	6
MS35309-407	96906	18	38
MS35309-415	96906	19	42
	96906	19	30
MS35335-35	96906	7	19
MS35336-27	96906	20	7
MS35338-105	96906	18	39
MS35338-120	96906	12	23
	96906	15	8
	96906	17	3
	96906	20	5
MS35338-122	96906	17	14
MS35338-138	96906	21	31
MS35338-41	96906	18	16
MS35338-42	96906	14	39
	96906	19	28
	96906	21	23
	96906	21	41
MS35338-43	96906	7	3
	96906	7	15
	96906	12	27
	96906	14	15
	96906	14	34
	96906	18	23
	96906	19	31
	96906	21	2
	96906	21	13
MS35338-44	96906	12	33
	96906	14	5
	96906	14	29
	96906	18	9
	96906	18	51
	96906	20	12
	96906	21	6
	96906	21	28
MS35338-45	96906	14	13
	96906	16	5
MS35338-46	96906	13	2
	96906	14	2
	96906	14	8
	96906	14	20
	96906	14	25
	96906	15	2

Section VII. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

Reference No.	Mfg Code	Fig No.	Item No.
MS35338-97	96906	19	9
MS35338-99	96906	21	19
MS35340-43	96906	1	2
	96906	1	15
	96906	2	2
	96906	3	4
	96906	3	9
	96906	3	15
	96906	3	21
	96906	8	7
	96906	8	11
	96906	11	12
	96906	18	4
MS35340-44	96906	1	8
	96906	4	13
	96906	9	4
	96906	10	15
	96906	10	26
	96906	11	6
	96906	12	14
MS35340-45	96906	4	10
	96906	13	7
MS35340-46	96906	9	8
	96906	9	12
	96906	10	5
MS35340-48	96906	4	2
	96906	4	5
	96906	13	5
	96906	22	4
MS35425-36	96906	18	44
	96906	19	23
MS35425-39	96906	11	5
MS35425-44	96906	22	3
MS35645-2	96906	10	10
MS35649-202	96906	3	3
	96906	3	8
	96906	3	16
	96906	3	20
	96906	7	2
	96906	7	14
	96906	8	6
	96906	8	12
	96906	12	25
	96906	18	3
	96906	18	22
	96906	18	38
	96906	21	12
MS35649-245	96906	19	8
MS35649-262	96906	18	15
MS35649-282	96906	19	27
	96906	21	22
	96906	21	40
MS35650-302	96906	21	32
MS35691-21	96906	7	18
MS35691-4	96906	12	13
	96906	20	3
MS35691-411	96906	15	7
MS35823-2C	96906	1	6
	96906	2	6
MS35930-4	96906	6	2
MS35932-1	96906	10	22
MS4590L5	96906	17	4
MS45901-3	96906	21	16
MS45901-5	96906	12	12
	96906	12	21
	96906	15	9
	96906	20	6
MS45901-7	96906	17	15
MS45901-8	96906	18	40
	96906	18	43
	96906	19	31
MS5169-1	6906	12	22
MS51953-6	96906	10	28
MS51955-19	96906	16	2
MS51967-15	96906	4	4
	96906	13	4
MS51967-2	96906	9	5
	96906	10	14
	96906	10	25
	96906	12	32
	96906	18	4
	96906	18	50

Reference No.	Mfg Code	Fig No.	Item No.
MS51967-2	96906	21	27
MS51967-29	96906	1	12
MS51967-5	96906	4	9
MS51967-8	96906	10	4
MS51968-15	96906	4	1
MS75034-1	96906	11	3
MS75034-2	96906	11	1
MS75039-23	96906	21	30
MS75039-35	96906	18	32
MS75039-4	96906	21	36
MS75039-6	96906	21	33
MS75047-1	96906	11	10
MS75059-1	96906	18	12
MS90648-100	96906	22	17
MS90729-11	96906	14	8
MS90729-5	96906	14	4
MS90729-59	96906	9	7
	96906	9	11
	96906	14	19
MS90729-64	96906	14	9
MS90729-65	96906	15	1
MS90726-7	96906	4	12
MS90729-111	96906	4	3
MS90729-114	96906	13	3
MS90729-33	96906	14	12
MS90729-34	96906	4	8
	96906	13	6
	96906	14	4
MS90728-42	96906	13	1
MS90728-65	96906	14	24
MS90728-66	96906	14	1
MS91587-5	96906	19	29
M22-12-00161F0	81349	21	9
M39019-2-74	81349	18	36
MPC2717YPE1VCLASS1	81348	22	1
Rw35V251	81349	18	35
RR47V500	81349	21	37
SAEJ489	81348	5	4
SAEJ514TABLE8F5G22	81348	6	1
SAEJ533TABLE2AFTG2	81348	17	12
WC596STYLE09	81348	19	19
WW3511YPE1	81348	6	3
130SE5409	97403	12	28
1320SE5401	97403	13	8
1320SE5403	97403	12	1
1320SE5404	97403	22	2
1320SE5405	97403	1	13
1320SE5406	97403	14	18
1320SE5417	97403	16	1
1320SE5418	97403	16	3
1320SE5419	97403	16	6
1320SE5420	97403	14	16
1320SE5421	97403	17	1
1320SE5422	97403	17	26
1320SE5423	97403	17	19
1320SE5424	97403	17	5
1320SE5425	97403	14	9
1320SE5426	97403	14	31
1320SE5427-1	97403	17	11
1320SE5427-2	97403	17	12
1320SE5428	97403	17	10
1320SE5429	97403	17	23
1320SE5430	97403	17	8
1320SE5431	97403	14	30
1320SE5432	97403	17	29
1320SE5434	97403	10	4
1320SE5435	97403	15	10
1320SE5439	97403	15	7
1320SE5442	97403	14	21
1320SE5443	97403	14	24
1320SE5444	97403	14	23
1320SE5447	97403	3	17
1320SE5448	97403	14	6
1320SE5449	97403	15	12
1320SE5450	97403	15	11
1320SE5451	97403	15	4
1320SE5452	97403	4	11
1320SE5454	97403	18	47
1320SE5455-2	97403	14	27
1320SE5456	97403	11	8
1320SE5457	97403	9	9
1320SE5458	97403	11	9

Section VII. INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

Reference No.	Mfg Code	Fig No.	Item No.
13205E5459	97403	6	6
13205E5460	97403	15	5
13205E5461	97403	14	11
13205E5462	97403	14	10
13205E5463	97403	14	32
13205E5464	97403	21	24
13205E5465	97403	14	22
13205E5466	97403	10	9
13205E5468	97403	20	19
13205E5469	97403	9	13
13205E5470	97403	17	24
13205E5471	97403	3	22
13205E5472	97403	21	29
13205E5473-1	97403	12	36
13205E5473-2	97403	12	37
13205E5473-3	97403	12	38
13205E5474	97403	4	7
13205E5475	97403	20	1
13205E5477	97403	20	8
13205E5478	97403	20	13
13205E5479	97403	20	15
13205E5480	97403	20	18
13205E5481	97403	20	16
13205E5483	97403	20	10
13205E5484	97403	7	8
13205E5486	97403	14	37
13205E5487	97403	12	24
13205E5488	97403	12	39
13205E5489	97403	12	29
13205E5490	97403	12	35
13205E5491	97403	12	40
13205E5492	97403	12	41
13205E5493	97403	12	42
13205E5494	97403	12	5
13205E5495	97403	12	34
13205E5500-3	97403	14	36
13205E5501	97403	18	37
13205E5502	97403	20	9
13205E5503	97403	18	27
13205E5504	97403	3	12
13205E5505	97403	18	45
13205E5506	97403	19	32
13205E5508	97403	10	27
13205E5509	97403	7	2.
13205E5510	97403	7	12
13205E5511	97403	7	6
13205E5512	97403	7	11
13205E5513	97403	7	20
13205E5514	97403	7	5
13205E5515	97403	9	1
13205E5516	97403	18	46
	97403	19	24
13205E5519	97403	20	20
13205E5520	97403	19	5
13205E5521	97403	1	10
13205E5522	97403	1	5
13205E5523	97403	2	5
13205E5524	97403	1	17
13205E5525	97403	3	5
13205E5526	97403	3	10
13205E5527	97403	21	8
13205E5528	97403	21	4
13205E5530	97403	21	14
13205E5532	97403	1	11
13205E5533	97403	4	15
13205E5537	97403	8	3
13205E5538	97403	10	11
13205E5539	97403	8	1
13205E5540	97403	2	7
13205E5543	97403	10	18
13205E5544-10	97403	12	8
13205E5544-11	97403	12	9
13205E5544-12	97403	12	10
13205E5544-14	97403	12	18
13205E5544-15	97403	12	17
13205E5544-16	97403	12	16
13205E5544-17	97403	12	15
13205E5544-25	97403	18	33
13205E5544-26	97403	18	34
13205E5544-27	97403	18	26
13205E5544-29	97403	19	11
13205E5544-3	97403	12	7

Reference No.	Mfg Code	Fig No.	Item No.
13205E5544-32	97403	19	10
13205E5544-41	97403	19	2
13205E5544-42	97403	19	3
13205E5544-43	97403	19	6
13205E5544-44	97403	19	5
13205E5544-45	97403	21	35
13205E5544-48	97403	18	25
13205E5544-48A	97403	19	24
13205E5544-49	97403	21	43
13205E5544-5	97403	18	11
13205E5544-50	97403	18	18
13205E5544-57	97403	19	20
13205E5544-6	97403	18	10
13205E5544-60	97403	19	13
13205E5544-61	97403	19	15
13205E5544-63	97403	19	22
13205E5544-66	97403	19	18
13205E5544-67	97403	21	34
13205E5544-68	97403	21	19
13205E5544-69	97403	18	41
13205E5544-70	97403	11	2
13205E5544-71	97403	11	4
13205E5544-9	97403	12	19
13205E5546-2	97403	18	17
13205E5547	97403	11	14
13205E5548	97403	20	14
13205E5554	97403	7	16
13205E5560	97403	10	1
	97403	10	19
13205E5561	97403	8	13
13205E5562	97403	9	8
13205E5563	97403	6	4
13206E0842	97403	9	10
	97403	9	14
13208E5776	97403	2	8
	97403	8	2
13212E3535	97403	2	9
13213E3283	97403	6	5
13215E8190	97403	5	1
44084-3	97403	4	6

ITEMS NOT ILLUSTRATED

Stock Number	Group No.
6810-249-9354	05

Reference Number	Mfg Code	Group No.
13205E5535	97403	02
13205E5534	97403	06
0SBC1A	81348	05

By Order of the Secretary of the Army:

W. C. WESTMORELAND,
General, United States Army,
Chief of Staff.

Official:

KENNETH G. WICKHAM,
Major General, United States Army,
The Adjutant General.

Distribution:
To be distributed in accordance with DA Form 12-25, Section I (qty rqr block no. 182) Organizational Maintenance requirements for Equipment: Welding.

☆U.S. GOVERNMENT PRINTING OFFICE : 1989 O - 242-451 (5134)

TM 5-3431-221-25P WELDING MACHINE, ARC, 6.E.D.-1971

PIN : 025516-000